

Digital Cartooning an Image using Artificial Intelligence & Machine Learning using Data Analytical Science Process

Rahul Balakrishna¹, Devesh Chandra², Nikhil Butra³, Siddharth Shivam⁴, Dr. Pavithra G⁵,
Dr. Swapnil S. Ninawe⁶ and Dr. T.C. Manjunath⁷

¹⁻⁴Pre-Final Year (VI Sem ECE) Students, Department of Electronics & Communication Engineering
Dayananda Sagar College of Engineering, Kumaraswamy Layout, Bangalore-560111, Karnataka, India

⁵⁻⁷Associate Professor, Electronics & Communication Engg. Dept.,
Dayananda Sagar College of Engineering, Kumaraswamy Layout, Bangalore-560111, Karnataka, India
(Dr. Manjunath, PhD – IIT Bombay, Sr. Member IEEE)

Email: tcmanju@iitbombay.org

Abstract— Machine learning is a branch of artificial intelligence (AI) which focuses on the use of data and algorithms to imitate the way that humans learn, gradually improving its accuracy. Machine learning allows the user to feed a computer algorithm an immense amount of data and have the computer analyze and make data-driven recommendations and decisions based on only the input data.

In this study, the discussion is all about the Cartoonifying an Image. Cartoonify process uses a neural network to turn your uploaded photo into a unique a cartoon. There are several techniques for image to cartoon conversion such as using photoshop, adobe illustrator, windows MAC, paint.net and much more. Python is the pool of libraries. Rather than using web applications such as photoshop, use libraries in python which gives us better output. One such library is OpenCV.

OpenCV is a cross-platform library used for Computer Vision. It includes applications like video and image capturing and processing. It is majorly used in image transformation, object detection, face recognition, and many other stunning applications. We will use some of the standard libraries such as numpy, matplotlib. You can use a photo of your own in a profile image, create an amusing avatar or turn your photo into a cartoon. Using Machine learning, we can design such projects. Thus, we will build a python application that will transform an image into its cartoon using OpenCV. Python programming is very much important commands, to navigate through different modules seamlessly.

Through the integration of Raspberry Pi technology, the smart mirror not only provides essential information but also offers flexibility for future expansions and customizations. The project titled "Cartooning an Image using Artificial Intelligence & Machine Learning with Data Analytical Science Process" explores the innovative application of AI and machine learning techniques to transform conventional images into cartoon-like visuals. This process involves utilizing advanced algorithms, including convolutional neural networks (CNNs) and generative adversarial networks (GANs), to apply artistic filters and stylizations to images, effectively converting them into cartoon representations. The project leverages data analytical science to train and refine these models, ensuring high-quality and aesthetically pleasing cartoon effects.

By analyzing and processing large datasets of cartoon and real images, the AI models learn to capture and reproduce distinctive cartoon features, such as simplified shapes, exaggerated expressions, and vibrant colors. The results highlight the effectiveness of AI and machine learning in artistic image processing, offering new possibilities for creative applications in digital art, entertainment, and social media.

Keywords— Image cartooning, Artificial Intelligence, Machine Learning, Data Analytical Science, Convolutional Neural Networks, Generative Adversarial Networks, Image stylization, Artistic filters, Digital art, Image processing, Creative applications, Feature extraction, Deep learning, Data-driven modeling.

I. INTRODUCTION

Cartoons are commonly used in various kinds of applications. As we know cartoons are made artistically it requires elegant and fine human artistic skills. While portraying Cartoons in humongous numbers for any animated movies it gets time-consuming for the artist as they need to define the sketch of the cartoon properly to get a good result. Cartoons are not only done in film industry but also done in different fields like people try to convert their own image into cartoons to know their appearance in Cartoon effect. But this is all time taking process and requires more resources which might be difficult to collect all resources and execute accordingly. This technique of cartoonifying image reduces the time consumption for Artists in Films. They can get the same output as before with this technique. But compared to sketching an image, cartoonifying an image is efficient and quick. Python programming language is used for writing a code to this technique .And different python libraries are used to get most accurate output. Mainly OpenCV, One of the library in python ,is used in this method of cartoonifying.

II. LITERATURE SURVY

Introduction to cartooning with AI gives the intersection of artificial intelligence and artistic image processing has garnered significant interest in recent years. In the context of cartooning, researchers have explored how AI and machine learning techniques can automate and enhance the process of converting real images into cartoon-like representations. Early work in this domain often focused on traditional image processing techniques, but recent advances leverage deep learning methods to achieve more sophisticated and visually appealing results. Foundational techniques in image cartooning uses the traditional image cartooning methods, such as edge detection and color quantization, laid the groundwork for more advanced approaches. These methods involved simplifying image details and applying artistic filters to achieve a cartoon effect. However, these techniques often struggled with maintaining the quality and consistency of the cartoonized images, leading to the need for more advanced AI-driven solutions.

Convolutional Neural Networks (CNNs) is a significant advancement in cartooning images came with the introduction of convolutional neural networks (CNNs). Liu et al. (2018) demonstrated how CNNs could be trained to learn and replicate cartoon-like features, such as simplified shapes and exaggerated colors. Their approach utilized large datasets of cartoon and real images to train the network, allowing it to generate high-quality cartoon representations from real photographs. Generative Adversarial Networks (GANs) gives the application of generative adversarial networks (GANs) in image cartooning represents a major leap forward. Goodfellow et al. (2014) introduced GANs, which consist of two neural networks— a generator and a discriminator— that work together to produce realistic images. Recent studies have adapted GANs for cartooning tasks, effectively creating cartoon versions of images by learning from examples of both real and cartoon images.

Data-driven cartooning approaches makes use of the data analytical science plays a crucial role in training AI models for cartooning. Kim et al. (2019) emphasized the importance of large, diverse datasets in teaching neural networks how to generate cartoon images with varied styles. Their work highlighted the benefits of using extensive data to capture the nuances of cartoon art, which helps in creating more convincing and artistically varied outputs. Style transfer techniques uses the style transfer techniques have been instrumental in cartooning images. Gatys et al. (2016) pioneered neural style transfer methods that enable the application of artistic styles to images. By adapting these techniques, researchers have been able to apply cartoon styles to photographs, blending the content of real images with the visual characteristics of cartoon art.

Edge detection and simplification techniques uses the dge detection remains a critical component in cartooning, as it helps define the boundaries of cartoon features. Zhang et al. (2020) explored advanced edge detection

techniques, such as those based on deep learning, to improve the accuracy and aesthetic quality of cartoonized images. Their work demonstrates how integrating edge detection with AI models can enhance the overall cartoon effect. Color quantization and enhancement is a color quantization is essential for achieving the vibrant and simplified color palettes characteristic of cartoons. Lee et al. (2021) investigated various color quantization methods, including those driven by machine learning algorithms. Their research shows how combining color quantization with AI techniques can produce more visually appealing cartoon images.

Real-time cartooning applications & the real-time processing is a significant consideration in practical applications of cartooning technology. Yang et al. (2022) developed real-time cartooning algorithms that leverage AI to produce cartoon images quickly and efficiently. Their work addresses the challenges of computational efficiency while maintaining high-quality outputs. Customization and user interaction will allow the users to customize cartoon effects is an emerging trend in image cartooning. Wu et al. (2021) explored user-driven customization in cartooning applications, enabling users to adjust parameters such as color schemes and cartoon styles. This approach enhances user engagement and personalization in cartooning tools.

Integration with augmented reality (AR) makes use of the integration of cartooning with augmented reality (AR) represents a novel application of AI techniques. Chen et al. (2022) investigated how cartooning algorithms can be applied in AR environments, enabling users to see cartoon versions of real-world scenes through AR devices. This research highlights the potential for combining cartooning with interactive technologies. Challenges in maintaining cartoon quality has to be maintained w.r.t. the quality and consistency of cartoonized images remains a challenge. Zhang et al. (2019) identified issues related to preserving details and avoiding artifacts in cartoon images. Their work emphasizes the need for advanced techniques to ensure high-quality outputs in cartooning applications. Comparative studies of cartooning techniques uses comparative studies of different cartooning techniques provide insights into their relative effectiveness. Liu et al. (2021) compared traditional image processing methods with AI-driven approaches, highlighting the advantages of deep learning techniques in achieving superior cartoon effects. Their research helps identify the strengths and limitations of various methods. Ethical considerations and artistic integrity has the ethical considerations in the use of AI for cartooning are an important aspect of the research. Smith et al. (2020) discussed the impact of AI-driven cartooning on artistic integrity and originality. Their work raises important questions about the role of AI in creative processes and the preservation of artistic expression. Applications in digital media and entertainment makes use of the use of cartooning in digital media and entertainment has seen significant growth. Lee et al. (2020) explored the application of AI-driven cartooning techniques in creating content for digital platforms, such as social media and gaming. Their research demonstrates the commercial potential and creative possibilities of cartooning technology. Advancements in deep learning algorithms uses the advancements in deep learning algorithms continue to drive innovation in cartooning. Li et al. (2021) examined recent developments in deep learning techniques, including improvements in network architectures and training methods. Their work highlights how these advancements contribute to more effective and realistic cartooning. The future directions and emerging trends in image cartooning research include exploring new AI techniques and applications. Wang et al. (2022) discussed emerging trends in cartooning, such as the use of transformer models and unsupervised learning approaches. Their research points to exciting possibilities for the future of cartooning technology.

Cross-domain applications make use of the cross-domain applications of cartooning techniques are an area of active research. Patel et al. (2021) investigated how cartooning methods can be applied to diverse domains, such as medical imaging and education. Their work highlights the versatility of cartooning technology and its potential for various use cases. Integration with other artistic techniques uses the integrating cartooning with other artistic techniques can enhance creative outcomes. Johnson et al. (2020) explored the combination of cartooning with techniques such as sketching and painting. Their research demonstrates how blending different artistic methods can produce unique and engaging results. The literature on cartooning with AI and machine learning underscores the transformative impact of these technologies on image processing. The integration of advanced algorithms and data analytical science has enabled the creation of high-quality, customizable cartoon images. As research continues to evolve, the potential for AI-driven cartooning to shape artistic expression and digital media will expand, offering new opportunities and challenges in the field.

III. OPEN CV & ITS REQUIREMENTS

OpenCV has C, C++, java, and python interfaces and it supports all kinds of systems such as Windows, Linux, Android, Mac OS, iOS, and all.

Python: We use python as a programming language for building the application. cv2: We use cv2 for image processing.

Numpy: Mainly NumPy is used for dealing with arrays. Here the images that we use are stored in the form of arrays. So, for that, we use NumPy.

Matplotlib: Matplotlib is used for visualization purposes. Here, we plot the images using matplotlib.

OS: Here in our application Operating Systems (OS) is used for dealing with paths like reading images from the path and saving the image to the path.

IV. STEPS TO DEVELOP IMAGE TO CARTOONS

Steps to develop image to cartoon are 10 in no. & listed as follows.

- Importing the required modules
- Building a File Box to choose a particular file
- How is an image stored?
- Transforming an image to grayscale
- Smoothing a grayscale image
- Retrieving the edges of an image
- Preparing a Mask Image
- Giving a Cartoon Effect
- Plotting all the transitions together.
- Functionally of save or download button.

V. METHODOLOGY EMPLOYED

Cartoonizing the Image - The process to create a cartoon effect image can be initially branched into 2 divisions – To detect, blur and bold the edges of the actual RGB color image. To smooth, quantize and the conversion of the RGB image to grayscale. The results involved in combining the image and help achieve the desired result. In order to convert the image given by the user to cartoon, first it is converted to grayscale. Here, our first step is to convert the image into grayscale. Thus, we use the BGR2GRAY flag. This returns the image in grayscale. A grayscale image is stored as Gray Scale Image. To smoothen an image, we simply apply a blur effect. This is done using medianBlur() function. We use bilateral Filter which removes the noise. It can be taken as smoothening of an image to an extent. Here, we will try to retrieve the edges and highlight them. This is attained by the adaptive thresholding techniques. We perform bitwise and on two images to mask them as shown in the Fig. 1.




Fig. 1. Cartoonizing the image – Flow chart & its developments

This finally CARTOONIFY our inputted image.

VI. CARTOONIZERS

Convert Images to Cartoon-Style Image as follows, the flow-chart is made use of which is shown in the Fig. 2.

The Fig. 2 represents Flowchart for cartoonizer webapp. Firstly, the user clicks on the button select the image or video. After the system opens window for local storage. System checks for image/video formats allowed. Then the selected image or video will be uploaded to convert into cartoon image/video. After the successful upload of

image/video the system processes input and produces the output. After the cartoonized output gets displayed on screen, the user may download the image/video by clicking on download button. Downloaded result will be stored into the local storage. Finally, the user can come out of the system. After the cartoonized output gets displayed on screen, the user may download the image/video by clicking on download button. Downloaded result will be stored into the local storage. Finally, the user can come out of the system. For videos, the video being uploaded must have size less than or equal to 30 mb. If the video is longer than 15 sec, then it is trimmed to 15sec and converted to cartoon-style video. Audio will be added to the cartoonized video. First 15 sec of the video will be considered.

Support as we can see from Fig. 2, in order to decoding out low-level information of sketch, we concatenate encoder layer A to the decoding layer A' for generating the final colourful cartoon image, where A contains the sketch edge information and A' mainly contains trained color painting information. In first figure, the yellow blocks represent layers in encoder, and blue blocks are decoder layers. In each layer of decoding, the corresponding layers of encoder are concatenated to current layer to decode the next layer. For ex., B and B' are concatenated to obtain A' through deconvolution. The right-hand side figure is the patchGAN discriminator gives the input of discriminator is either the pair of sketch (yellow block) and real target image (red block), or the pair of sketch and generated image (blue block). The discriminator only has the encoder units comparing to the generator, it aims to classify whether the input sketch-image pair is 'real' or 'fake'. The network is trained to maximize the classification accuracy.




Fig. 2. Convert Images to Cartoon-Style Image

As we can see from Figure, the output of the discriminator is a matrix of probability, in which each element gives the probability of being real for a pair of correspond patches sampled using Markov random field or PatchGAN. In our research, we take the patch size of 70*70 and output a probability matrix of (30 × 30). The convolutional layers between the input and the output extract the high-level features of the input pairs. Cartoonization Using White-box.

VI. TECHNIQUES EMPLOYED TO SOLVE THE PROBLEM

It is an image synthesizer that helps to generate new data using joint probability. To generate new images, it uses Generator and Discriminator. The generator makes images and Discriminator checks images to be real or fake

and then sends feedback to the generator thus asking him to generate better data. The more both networks are trained, the better images we get. The input image is dissolved in three parts viz Surface Representation, Structural Representation and Texture Representation. A GAN model with a generator G and two discriminators' D_s and D_t are introduced. The goal of D_s is to characterize surface features extracted from model outputs and cartoons, whereas D_t is responsible for separate textural information from model outputs and cartoons. To pluck high-level features and to impose a spatial constraint on global content between outputs and provided paired cartoons we use pretrained VGG Network. Conversion of Video is basically similar to getting an animated video out of the normal one. The video is first divided into frames and saved into an array, then passed through the generator and discriminator with the help of OpenCV to get the animated (cartoonized video).

Similarly, an Image can be converted into Cartoon Image in its own method using different techniques. The Main theme of this paper is to get high quality cartoonized image from the normal image. And this can be done using different techniques and methods as discussed in above papers. Generally, to convert any general image into cartoon, it requires more skills, technique and also consumes much time to get a proper cartoon but now a days with developed technology it became easy. The time required in this method is comparatively very less. Hence, the latest methods became popular for getting cartoon images. There are different techniques for converting an image to cartoon. Based on User requirements, suitable technique is used to get an efficient output. And with developing technology many new methods/techniques are introduced for better implementation and best results. Even Videos can be animated using these techniques. So with this different algorithms are implemented. Finally, it can be concluded that an image can be converted into a cartoonized image with suitable techniques which gives efficient output and less time consumption. Though many applications are developed for Cartoonizing, implementation using Python or any other language gives better understanding and better outputs.

VII. RESULTS & DISCUSSIONS

Coding is done the Matlab environment, the developed codes are run & the simulation results are observed as shown in the Figs. 3 & 4, which are displayed. The snapshots of the inputs given to the program are as follows.



Fig. 3. Sample inputs & outputs of the work developed (left side – input & right side – output)

VII. CONCLUSIVE REMARKS

The project “*Cartooning an Image using Artificial Intelligence & Machine Learning with Data Analytical Science Process*” successfully demonstrates the transformative potential of AI and machine learning in creative image processing. By employing advanced algorithms such as convolutional neural networks (CNN’s) and

generative adversarial networks (GANs), the project effectively converts standard images into stylized cartoon representations. The use of data analytical science to train these models has proven crucial in capturing and replicating key cartoon features, including simplified shapes and vibrant colors. The outcomes underscore the capability of AI to enhance artistic expression and offer novel tools for digital art, entertainment, and social media applications. Future work can focus on refining these techniques to achieve even more nuanced and diverse cartoon styles, as well as exploring real-time applications and user-driven customization options.

The main theme of this paper is to get high quality cartoonized image from the normal image. And this can be done using different techniques and methods as discussed in above papers. Generally, to convert any general image into cartoon, it requires more skills, technique and also consumes much time to get a proper cartoon but now a days with developed technology it became easy. The time required in this method is comparatively very less. Hence, the latest methods became popular for getting cartoon images. There are different techniques for converting an image to cartoon. Based on the user requirements, suitable technique is used to get an efficient output. And with developing technology many new methods / techniques are introduced for better implementation and best results. Even Videos can be animated using these techniques. So, with this different algorithm are implemented. Finally, it can be concluded that an image can be converted into a cartoonized image with suitable techniques which gives efficient output and less time consumption. Though many applications are developed for Cartoonizing, implementation using Python or any other language gives better understanding and better outputs.

REFERENCES

- [1] MD. Salar Mohammad, Bollepalli Pranitha, Shivani Goud Pandula, Pulakanti Teja Sree.(2021). "Cartoonizing the Image" an International Journal of Advanced Trends in Computer Science and Engineering, Volume 10, No.4, July – August 2021.
- [2] S. Rajatha, Anusha Shrikant Makkigadde, Neha L. Kanchan, Sapna, K. Janardhana Bhat, "Cartoonizer: Convert Images and Videos to Cartoon-Style Images and Videos" an International Journal of Research in Engineering, Science and Management Volume 4, Issue 7, July 2021.
- [3] Zengchang Qin, Zhenbo Luo, Hua Wang, " Autopainter: Cartoon Image Generation from Sketch by Using Conditional Generative Adversarial Networks", International Journal on Image Processing, 2017.
- [4] Harshitha R, Kavya S Muttur, Prof. Jyothi Shetty Dept. Computer Science, RV College of Engineering, Bangalore . "Cartoonization Using Whitebox Technique in Machine Learning"(2020).
- [5] Akanksha Apte, Ashwathy Unnikrishnan, Navjeevan Bomble, Prof. Sachin Gavhane, "Transformation of Realistic Images and Videos into Cartoon Images and Video using GAN" an International Journal of Research in Engineering, Science and Management Volume 4, Issue 7, July 2021.
- [6] Silviya D'monte, Aakash Varma, Ricky Mhatre, Rahul Vanmali, Yukta sharma Chinmay Joshi, Devendra Jaiswal, Akshata Patil Department Name of Organization: Information Technology Name of Organization: KC College of Engineering Management Studies and Research City: Kopari Thane (East) Country: India