

Grid Integration of PV System: Issues, Challenges and Opportunities

Naveen G¹ and Dr Sangamesh G Sakri²

¹⁻²Department of Electrical and Electronics Engineering Poojya Doddappa Appa College of Engineering Kalaburagi,
Karnataka - 585102, India

Email: gubba.naveen@ieee.org, sakripda@gmail.com

Abstract— The growing global demand for clean and sustainable energy has accelerated the deployment of photovoltaic (PV) systems as a major source of renewable power generation. As PV installations increasingly contribute a substantial share to the electricity mix, their integration into existing power grids presents several technical and operational challenges. Unlike conventional generation, solar energy is inherently intermittent and dependent on environmental conditions, leading to voltage fluctuations, frequency instability and power quality issues. Effective grid integration of PV systems demands careful coordination between generation, storage and distribution mechanisms. Challenges such as reactive power control, harmonic distortion and mismatch between peak generation and load demand complicate stable operation. With the emergence of smart grid technologies, adaptive control schemes, power electronic interfaces and real-time monitoring have become crucial in mitigating these issues. This paper explores the technical aspects, existing barriers and emerging solutions for improving the grid compatibility of PV systems, with a focus on ensuring efficient, reliable and sustainable integration into modern power networks.

Index Terms— PV, grid, FACT devices, Power quality.

I. INTRODUCTION

PV power generation is growing in India, despite the fact that solar photovoltaic cell generation is expensive due to the initial capital costs. As part of the National Solar Mission, the Government of India provides many incentives for solar power plants and also supports the policy regulatory structure in many states. The main advantages of solar grid integration are increased grid efficiency, stability and less transmission & distribution losses, etc. As a result, solar installations are carried out after a thorough survey to ensure that all necessary and sufficient parameters are fulfilled. The integration of a solar PV system with the grid, on the other hand, has always been difficult. The process of power transmission from renewable energy sources to the grid is known as renewable energy grid integration.

The demand for energy in developing countries is growing at a rate of 5% each year. The geography of India makes it an excellent choice for solar energy harvesting. India's energy demand is expected to surge in the coming years due to its enormous population and economic activities [1]. India, as a rapidly developing nation, is currently undergoing transformation in solar market. As of December 2020, the country's total solar installed capacity was estimated to be 38.5 GW.

In India, the National Solar Mission and policies have been declared, with the goal of achieving 100GW of installed solar capacity. This sector mostly consists of major solar projects and even larger solar utilities that produce power in a central location and deliver it to the grid. In comparison to other leading solar countries, India's rooftop solar systems are substantially lower in comparison with overall solar installations. [2].

In recent years, the government has introduced several of the laws and programs aimed at increasing the adoption of solar photovoltaic systems. Solar street lights and solar rooftops are now being installed in greater numbers as a result of these efforts. PV energy systems are thus fast growing and contributing significantly in most regions and power system. Around 99% of the installed capacity is accounted for by Grid linked PV systems throughout the world. The battery less grid-connected PV is cost efficient and almost maintenance-free. For grid-connected PV, batteries are not needed as the power produced is uploaded to the grid for direct transmission, distribution and consumption. This eases the pressure on other sources that supply the grid with electricity. The output ratio of the grid-connected PV system is calculated. The integration of PV system with grid introduces small quantity of harmonics [3].

The solar PV energy generation is uncontrolled as it depends on solar radiations. Hence the power generation is intermittent and inconsistent. This forces further challenges in PV integration with grid.

II: PV - GRID INTERFACE ISSUES

A. Power Quality

The power quality is most important aspect of the power system. The power quality standards are defined for various power quality parameters like voltage distortion, sag & swell, flicker, transient, unbalance, interruptions, harmonics, power factor etc. by IEEE and many standardizing authorities [5, 6, 7]. It is to be noted that the power quality parameters shall be within 5%.

B. Voltage Instability

High penetration of PV can introduce voltage fluctuations and compromise power quality, especially when inverters do not provide adequate reactive power support for voltage regulation.

C. Power Fluctuations

The intermittent nature of solar radiations causes interruptions in grid interfacing. Interruptions and power fluctuations causes malfunctioning of protective switchgears, poor voltage regulation, reverse power flow and hampered power quality in distribution systems. The power fluctuations can be reduced with the help of battery storage and stabilizers. Power interruptions and fluctuations further places limit on reliability and profitability of consumers. This also hampers the productivity and quality [8].

D. Intermittency and Variations in Energy Generation

Solar PV generation is inherently variable, depending on sunlight availability, weather, and seasonal cycles. This often results in a mismatch between production and demand, creating challenges for grid stability and risk of outages. The magnitude of variance is significant in case of large solar installations. This places limits on demand – supply proportions [9].

E. Frequency Control

The frequency of the power system is determined by the balance between the load and the output power. With frequency decreases in large interconnected networks, output power rises and vice versa. The first frequency control line is the local governor, supplying the system with "reserve power flow". Frequency controller and synchronizing techniques with PID control and other control algorithms are used for frequency governing.

F. Speed of variations

Not of the magnitude, but the speed of variation in power generation occurs in solar PV systems. Small rate of variation is easily tolerated in grid system but larger rate of variation in power generation results in fast power fluctuations [9].

G. Forecasting

PV generation is making rapid inroads in electricity grids with rapid growth. Variability and uncertainty being the key challenges, the output power generation is subjected to variance. Forecasting helps the power management for grid system planning to ensure reliability and consistency. For PV forecasting statistical, physical and hybrid approaches are in practice [10, 11].

H. Location

Depending on location, the availability of solar radiation can vary. There is significantly more solar radiation in some locations than in other places. This will mean that the production of solar energy relies on those areas where systems need to be installed [12]. The sizing and placement of PV panels needs to be optimized for large installations to have maximum impact on the grid [13].

I. Installation Cost

Being pollution free, solar PV installation needs to be encouraged. High setup cost gives setback for solar installations. For solar PV systems to become competitive with fossil fuels, we must either increase their efficiency or significantly reduce the manufacturing cost. Many researches are in progress to shift PV panel manufacturing from silicon PV to thin film for cost cutting [14, 15].

J. Safety and Security

The solar installation requires safety procedures to be followed during installation which includes safety of workers as well as solar panels. The safety consideration at design stage includes- safeguarding from hazards of working with electricity, firefighting safety, signs & labeling on equipments. At installation level safety procedures are related to use of personal protective equipments (PPE kits), handling of power tools, following assembly and installation guidelines and location awareness.

K. Cyber Security

The cyber security challenge arises from increased digitalization, distributed assets, and new vulnerabilities that threaten grid reliability and safety. The table 1 summarizes cyber security challenges

TABLE I: CYBER SECURITY CHALLENGES

Challenge	Traditional Power Grids	Renewable Energy Grids
Attack Surface	Centralized, fewer endpoints	Highly distributed, thousands of endpoints
Connectivity	Low (air-gapped)	High (IoT-connected, cloud-integrated)
Threat Profile	Focus on physical sabotage	Mix of cyber (ransomware, espionage) and physical
Regulatory Enforcement	Mature, standardized	Variable, sometimes weak or absent

III. CHALLENGES IN GRID INTEGRATION

The energy producing companies are facing challenges in grid integration of PV power plants which includes

A. Voltage Violation

The PV access bus is clearly influenced by changes in solar capacity and location, and distributed photovoltaic generation has a significant impact on it. The voltage will change as solar capacity increases, especially when the load demand is low and the photovoltaic output is high. The influence on PCC voltage will rise as the electrical distance decreases. Changes in insolation under partial shade generate output power variations, which ultimately alter system voltage [17].

B. Increased Demand Ramping

As the PV installation capacity increases, the problem of ramping becomes more apparent resulting in rising power grid issues. At present, the PVs are permitted to inject their entire generated power into the network without violating the network operating limits. However, to curb PV power fluctuations, the utility might either request the PV owners to smoothen PV power output or limit PV generation.

C. Simultaneous Tripping and Re-closing

Auto reclosing is a phenomenon in which the breaker tries to reconnect the line between two points with the delay or without delay at the time of the fault. The simultaneous tripping and reclosing may be observed in PV based distributed energy system due to the intermittent nature of PV systems.

IV. OPPORTUNITIES

Adoption of solar photovoltaic (PV) is on the rise due to a decrease in costs for development of utility-scale solar systems as well as their operations. Despite the decrease in costs, the ability of solar systems to ensure utilities reduce their carbon footprints has driven the growth in their adoption. Solar PV plants allow utility companies to line up with environmental regulations and at the same ensure that their grid systems are stable.

A. Advanced Inverter Technologies

Modern inverters can manage both active and reactive power, enhancing voltage control and improving grid resilience [19]. The inverter technology is shaping the future of renewable generation by improving system efficiency, resilience and grid-friendly operation. With smart, hybrid, multilevel and AI-driven control, modern PV inverters are integral to next-generation distributed energy landscapes [20].

B. Energy Storage Solutions

Integrating storage systems can help buffer variability and support ramping requirements, reducing curtailment and balancing supply/demand. Energy storage elements are pivotal in providing continuous power, improving grid stability and enabling greater self-consumption by storing surplus solar generation for cloudy periods or nighttime use [21].

C. Sustainability and Decarbonization

Higher PV integration supports decarbonization, diversifying generation sources and reducing reliance on fossil fuels [22].

D. Distributed Generation

Distributed PV can improve grid resilience, reduce line losses and avoid peak generation costs [23]. The distributed generation allows independent integration of PV panels and hence improves voltage profile of the system [24].

V. ROLE OF CUSTOM POWER DEVICES

Custom power devices (CPDs) play a crucial role in integrating renewable energy sources into the electrical grid. These devices offer precise control over power flow and power quality by addressing the inherent challenges associated with renewable energy sources like solar and wind. Custom power devices like Dynamic Voltage Restorers (DVRs), Distribution Static Compensators (D-STATCOMs), and Unified Power Quality Conditioners (UPQCs) mitigate voltage dips, flicker, and harmonics, ensuring grid operation remains within accepted standards [25]. By providing dynamic voltage and reactive power compensation, these devices help maintain grid stability and enhance the hosting capacity for distributed PV generation [26]. Solar generation can cause voltage swings and harmonic distortion. Custom power devices actively manage these disturbances to avoid damage and misoperation in sensitive grid components. Integrating digital monitoring, AI-driven diagnostics, and real-time management tools increases fault tolerance and allows proactive power flow adjustments in response to grid fluctuations [27]. The table 2 provides feature comparison of custom power devices applicable for improving the performance of the grid integrated PV system.

TABLE II: COMPARISON OF CPDs

CPD	Key Function	PV Grid Benefit	Typical Application	Unique Feature
DVR	Voltage sag mitigation	Reduces outage and micro-disturbance	Industrial, utility	Fast dynamic response
D-STATCOM	Reactive power compensation, voltage	Enhances voltage profile, stability	Distribution grid	Flexible control, quick switching
Active Filter (APF)	Harmonic distortion filtering	Suppresses inverter/panel harmonics	Commercial, residential	Adaptive filtering range
UPQC	Combined voltage and current correction	Prevents harmonics, voltage/faults	Sensitive loads	Multi-mode filtering capability

VI. CONCLUSION

The PV penetration is increasing continuously. Aging grid infrastructure, inadequate smart management technologies and the intermittency of solar production further complicate reliable PV integration, frequently resulting in curtailment and operational inefficiencies. With technology advancements and strategic planning, PV systems can transform power grids into resilient, sustainable backbones for the clean energy future, demonstrating global benefits in reliability, environmental impact, and urban energy independence. The role of custom power devices in ensuring high power quality is highlighted. A unique opportunity arises when CPDs are coupled with energy storage or PV sources, as in UPQC configurations. These systems can inject active power during grid faults, mitigate interruptions and support sensitive loads, thereby offering multi-functional benefits beyond traditional compensation devices.

REFERENCES

- [1] C. -C. Chu, S. -H. Lee, K. L. Lian, J. -H. Liu and Y. -J. Lin, "A Survey of Global Revisions to Grid Codes on System Inertia and Frequency Stability in Power Grids with High Renewable Energy Integration," 2025 IEEE Industry Applications Society Annual Meeting (IAS), Taipei, Taiwan, 2025, pp. 1-8, doi: 10.1109/IAS62731.2025.11061388.
- [2] R. Pant and B. Datta, "Wind Energy Conversion Systems (WECS), their uses and recent challenges in Grid-Integration," 2024 International BIT Conference (BITCON), Dhanbad, India, 2024, pp. 1-6, doi: 10.1109/BITCON63716.2024.10984857.
- [3] J Sreedevi, Ashwin N, M Naini Raju, "A Study on Grid Connected PV system", IEEE transactions, 2016
- [4] Bincy K. Jose, "Grid Integration of PV Systems-Issues and Requirements", Proceedings of 2017 IEEE International Conference on Circuits and Systems (ICCS 2017) pp. 215 – 219
- [5] R. C. Sermon, "An Overview of Power Quality Standards and Guidelines from the End-User's Point-of-View", IEEE Rural Electric Power Conference, San Antonio, TX, May - 2005
- [6] K. Akom, M. K. Joseph and T. Shongwe, "Renewable Energy Sources and Grid Integration in Ghana: Issues, Challenges and Solutions," 2018 International Conference on Intelligent and Innovative Computing Applications (ICONIC), Mon Tresor, Mauritius, 2018, pp. 1-6, doi: 10.1109/ICONIC.2018.8601219.
- [7] IEEE Standard for "Interconnecting Distributed Resources with Electric Power Systems," IEEE Std 1547-2003, pp.1-16
- [8] Doe Frederick, Asamoah Emmanuel Selase, "The Effect of Electric Power Fluctuations on the Profitability and Competitiveness of SMEs", Journal of Competitiveness Vol. 6, Issue 3, September 2014, pp. 32-48
- [9] S. D. Ahmed, F. S. M. Al-Ismail, M. Shafullah, F. A. Al-Sulaiman and I. M. El-Amin, "Grid Integration Challenges of Wind Energy: A Review," in IEEE Access, vol. 8, pp. 10857-10878, 2020, doi: 10.1109/ACCESS.2020.2964896.
- [10] S. Malik, B. Modi and D. Mangrolia, "Grid Integration of Distributed Generation: Issues and Challenges," 2022 International Conference for Advancement in Technology (ICONAT), Goa, India, 2022, pp. 1-6, doi: 10.1109/ICONAT53423.2022.9725826.
- [11] D.W. van der Meer, J. Widén, J. Munkhammar, "Review on probabilistic forecasting of photovoltaic power production and electricity consumption", Renewable & Sustainable Energy Reviews, May, 2017
- [12] Chetan Solanki, "Solar Photovoltaic Technology and Systems: A Manual for Technicians, Trainers and Engineers", PHI Learning, 2013, pp.35-36.
- [13] A. Mahlobo, O. E. Oni and K. T. Akindeji, "Voltage Fluctuation Correction for Renewable Energy Systems in Distribution Network," 2023 International Conference on Electrical, Computer and Energy Technologies (ICECET), Cape Town, South Africa, 2023, pp. 1-7, doi: 10.1109/ICECET58911.2023.10389256.
- [14] B. S. Babu, B. Vijayakumar, A. Sivakumar, V. Lakshmanan, J. A. Dhanraj and R. Venkatesh, "Impact of High Renewable Energy Integration on Power Quality: Voltage and Current Distortion in Electrical Systems," 2024 1st International Conference on Sustainability and Technological Advancements in Engineering Domain (SUSTAINED), Faridabad, India, 2024, pp. 39-44, doi: 10.1109/SUSTAINED63638.2024.11074091.
- [15] M. S. Alam, F. S. Al-Ismail, A. Salem and M. A. Abido, "High-Level Penetration of Renewable Energy Sources Into Grid Utility: Challenges and Solutions," in IEEE Access, vol. 8, pp. 190277-190299, 2020, doi: 10.1109/ACCESS.2020.3031481.
- [16] Andrew R. Barron, "Cost reduction in the solar industry", Materials Today Volume 18, Number 1 January/February 2015
- [17] IEEE 1547 Standard for Interconnecting Distributed Resources with Electric Power Systems, 2018
- [18] Yahui Li, Yuanyuan Sun, Kejun Li, Jingru Zhuang, Yongliang Liang and Yanqing Pang, "Analysis and Suppression of Voltage Violation and Fluctuation with Distributed Photovoltaic Integration", MDPI Journal of Symmetry Vol. 13, 1894, 2021
- [19] S. K. Chaudhary, S. Deepak, P. Kumar, R. Tripathi, N. K. Dixit and A. Srivastava, "Maximizing the Conversion Efficiency of Smart Solar Inverter," 2021 International Conference on Advance Computing and Innovative Technologies in Engineering (ICACITE), Greater Noida, India, 2021, pp. 388-393, doi: 10.1109/ICACITE51222.2021.9404597.
- [20] Rajiv K. Varma, "IMPACTS OF HIGH PENETRATION OF SOLAR PV SYSTEMS AND SMART INVERTER DEVELOPMENTS," in Smart Solar PV Inverters with Advanced Grid Support Functionalities , IEEE, 2022, pp.1-34, doi: 10.1002/9781119214236.ch1.
- [21] S. Xuwei et al., "Research on Energy Storage Configuration Method Based on Wind and Solar Volatility," 2020 10th International Conference on Power and Energy Systems (ICPES), Chengdu, China, 2020, pp. 464-468, doi: 10.1109/ICPES51309.2020.9349645.
- [22] R. Mollik Babu, M. S. Alam, A. Islam and M. Kamrul Islam, "Toward Sustainable and Clean Energy Futures: A Techno-Economic Review of Solar PV Systems, Challenges, and Opportunities," in IEEE Access, vol. 13, pp. 169720-169757, 2025, doi: 10.1109/ACCESS.2025.3614771
- [23] S. Devassy and B. Singh, "Performance Analysis of Solar PV Array and Battery Integrated Unified Power Quality Conditioner for Microgrid Systems," in IEEE Transactions on Industrial Electronics, vol. 68, no. 5, pp. 4027-4035, May 2021, doi: 10.1109/TIE.2020.2984439.

- [24] M. Yao, I. A. Hiskens and J. L. Mathieu, "Mitigating Voltage Unbalance Using Distributed Solar Photovoltaic Inverters," in *IEEE Transactions on Power Systems*, vol. 36, no. 3, pp. 2642-2651, May 2021, doi: 10.1109/TPWRS.2020.3039405.
- [25] Mangalपुरi Sravani , Polamraju V.S. Sobhan, "Performance evaluation of solar PV integrated with custom power device under various load conditions", *e-Prime - Advances in Electrical Engineering, Electronics and Energy*, Vol. 10, 2024, <https://doi.org/10.1016/j.prime.2024.100843>
- [26] U. Sur, A. Biswas, J. N. Bera and G. Sarkar, "Holomorphic Embedded Analysis of Unified Power Quality Conditioner Compensated Power Distribution System," in *IEEE Systems Journal*, vol. 16, no. 4, pp. 5154-5163, Dec. 2022, doi: 10.1109/JSYST.2022.3190499.
- [27] D. K. Nishad, A. N.Tiwari, Saifullah Khalid, SandeepGupta & Anand Shukla, "AI-based hybrid power quality control system for electrical railway using single phase PV-UPQC with Lyapunov optimization", *Scientific Reports* | (2025) 15:2641 | <https://doi.org/10.1038/s41598-025-85393-5>