

VLSI Design Review Analysis

Sumit Dalal¹ and Dr Shamsheer Malik²

¹PhD Scholar, ECE Dept., UIET, MDU, Rohtak, India
Email: sumitphdresearch@gmail.com

³Associate Professor, ECE Dept., UIET, MDU, Rohtak, India
Email: shamsheer.uiet@mdurohtak.ac.in

Abstract—The most advance architecture of very large-scale integrated chips have numerous distorted strata or stages and which normally demands a huge turnaround time. Within all these stages, VLSI plays the primary role, which determines the location of the standard cell. As the design sizes in the VLSI design is quite large so naturally requires a huge execution time to deliver a standardized solution. Creating a quality solution in this field requires a huge and tedious effort to rise. Normally in these kinds of projects, an open-source placement framework is normally used. It is normally being achieved with the help of deep learning and tool kit enabled GPU for the detailed placement optimization. To tackle the development overhead and the issues of efficiency optimization is used. VLSI is the most advanced technology that provides the most efficient solutions as it involves a detailed a complex circuiting which is very long and tedious; in the end it is a very good technology to adapt in the modern industry. From a standard mini-computer to a predominant brain network-based application, the VLSI central processor are present. The research has laid out a huge execution contrast between the genuine trials and the simulation. Compared to the recreation arrangement, the actual tests show a slight mediocrity in one basicregion.

Index Terms— VLSI, placement optimization, GPU, leakage power, logic gates, transistor reduction, low- power circuits.

I. INTRODUCTION

Placement plays an important role in the VLSI technology; it usually determines the location of the standardized cells in the overall design propaganda which consequently concerns the solution stage in the stages of routing. The obstacles faced in the placement takes a standard cell library and a circuit net list is considered as an input. VLSI is basically known as a very large-scale integration; it is normally used to produce an integrated circuit with the help of a huge of transistors onto a single chip. VLSI technology has a lot of importance in the field of electronics. First thing is that the size of the circuit is always reduced. Second, the devices become quite efficient based on the cost. Third, the performance is also improved. Any electronics circuit having the VLSI technology has double the speed of other electronics. The devices are also reliable when the VLSI techs are included. The VLSI technology has been designed to ensure that every electronic gadget can use it and become more efficient. There are many front-end designs and also back-end designs. These can be considered the certain stage of the VLSI design. In the front-end design, the stage is used for the design verification process and the verification techniques. The back-end design contains the works like problem-solving and designing the architecture. The circuits are also made quite small and storage space is also taken care of.

II. REVIEW OF LITERATURE

According to Yibo Lin et al., 2018 VLSI is the most advanced technology witnessed ever in the field of digital electronics and circuits. When the discussions arise about the embedded systems integrated circuits plays a huge role in determining the efficiency of the system solution [1]. In the embedded systems integrated circuits plays the important role in carrying out the mathematical algorithms and complex codings to carry out all the functions [49]. Thus, to reduce all these complexities VLSI comes into picture to reduce the complexity of the system, as it uses the technology where an integrated circuit is made with the application of combining millions of MOS transistors [1].

According to Alawieh *et al* 2020, Scaling electronic circuit technology, combined with increasing design complexity, has raised the difficulty of manufacturing and yield.

Today's semiconductor production relies heavily on lithography for printing patterns on silicon. Since manufacturing processes have become more complicated, lithography modelling and simulation costs have skyrocketed [42]. As a result, the importance and expense of resolution-enhancing methods (RETs), which are now essential in the design process, have grown significantly. In keeping with these, changes have been made in Machine Learning (ML) in recent year.

According to Subhasri *et al* 2019, For wireless systems to provide error-free data, the data must be transferred and received efficiently. However, when conducting spectrum sensing and spectrum allocation, certain wireless networks, such as cognitive radio (CR) technologies, may produce interferences that result in data transmission errors. Error Detection and Correction (EDC) is needed to solve this issue with CR technology in order to ensure effective data transfer. The parity check code and hamming code technique are used here to develop different error detection and repair methods.

As stated by Banu *et al* 2021, The vast majority of battery-powered gadgets are in standby mode (sleep mode) [45]. As transistor size increases every two years to fulfil Moore's law, achieving the correct power dissipation, particularly leakage power, has become a problematic aspect in low power VLSI design. With a decrease in the threshold voltage V_{th} , the sub-threshold leakage current of transistors has grown considerably, resulting in leakage (static) power overwhelming dynamic power.

As stated by Tirumalasetty *et al* 2019, The fast development of mobile communication and computing technologies has recently given fuel to the development of low power VLSI systems. Battery storage, on the other hand, isn't growing as quickly as microelectronic devices. Mobile systems, on the other hand, have a limited supply of energy.

According to Yibo Lin et al., (2018) VLSI is the most advanced technology witnessed ever in the field of digital electronics and circuits [48]. When the discussions arise about the embedded systems integrated circuits play a huge role in determining the efficiency of the system solution [2]. In the embedded systems integrated circuits play the important role in carrying out the mathematical algorithms and complex codings to carry out all the functions.

According to Abu Bony Admin et al, (2020) Thus, to reduce all these complexities VLSI appears to reduce the system's complexity, as it uses the technology where an integrated circuit is made with the application of millions of MOS transistors.

According to Malti Bansal et al, (2022), there is a deep relationship with the VLSI technology [50]. The authors state that with the rise of the machine learning process many techs have been taking support from the machine learning process [3]. According to P Nagaraj et al, (2020) There are many functions of the machine learning process which have been involved in the VLSI design. The machine is based on the VLSI design [4]. Many tools are related to Machine learning that has eased up the process of time reduction and also manage the cost of the production process.

According to Duane S. Boning, (2019) Machine learning has changed the way the VLSI techs are used. Many important things are related to the VLSI techs [5]. The first importance is the ease of the verification process.

According to Sajja Krishna Kishore et al, (2020), the device when attached to any VLSI system is encoded. The verification process is quite easy [6]. There are also different types of technology that are in the machine learning process that reduces the complexity of the techs and also reduce the execution time of the data.

According to Xiahou Chen et al, (2020) For the past few years, it has been seen that there have been quite a several changes that are made in the technology [7]. The VLSI technology has been facing a lot of challenges like there might be a significant delay in the execution process and the power consumption might be quite high [8]. The changes in the VLSI design have been quite massive after the problems arose due to the lack of updates.

According to Valdimir Hahanov et al, (2018) the deductive approach has been used in the VLSI technology to develop a certain hypothesis based on the existing theory [9]. The research strategy for the VLSI design has been developed so that the hypothesis can exist.




Figure 1: VLSI Engineering service
(Sources: www.einfochips.com)

According to Neha Thakur et al, (2020) There are many types of EDA tools that are helping the VLSI to transfer different types of tools [10]. The VLSI design has been done by breaking the core chip of the system and observing it minutely.

According to Jatin Pandey, (2019) the deductive approach in VLSI has been quite an important skill where they can help in thinking logically [11]. This help in making some meaningful decisions in our everyday life.

According to Vinay Kumar et al, (2020) VLSI has been evolving and developing any kind of high-end circuit and devices. They have converted the devices into smaller devices so that there is high reliability and also have high personalities [12]. Many updated algorithms have been helping the VLSI to improve its efficiency.

According to Zhenlin Pei et al, (2021) many interconnecting materials have been creating the complicated system, and the functionalities are also filled with complexities [13]. The VLSI system has been providing the needed support to the small complexities and solving them in less time.

According to S Rakesh et al, (2019) The VLSI system has also been updated to make sure that they can design the logic system [14]. Unlike before, the VLSI system can add support to the medical system.

According to Seyed Hadi Mirfarshbafan et al, (2020) There are many types of complex algorithms. This will be handled by the VLSI system. The web browsing technique has been quite easy for the VLSI [15]. It has been working on making sure that the user can use the browser quite easily [16]. The electronics that are designed are based on the ease of the people.

According to Sneh Saurabh et al, (2022) the problems are that the VLSI design is quite complex and the repairing needs a lot of time [17]. Also, the recognition of the problems that might be small or big [18]. Also, the VLSI has trouble recognizing the type of color and the VLSI has the technique to create a beep sound and which might be a problematic situation.

According to Jessica L et al, (2019) it is said that the interceptive philosophy and understanding of the data in the VLSI system is quite easy [19]. The interceptive philosophy has been used in this research for the VLSI design analysis.

According to Shilpa K.C. et al, (2018) every modern processor including the VLSI system has been supported by the ALU [20]. This helps in performing the arithmetic and the logical operation that is related to the VLSI system [21]. The ALU helps in meeting up the expected goals that are related to the VLSI.

According to Jun-Dian Li et al, (2020), many MOS transistors are created to make sure that they can be integrated into the VLSI devices [22]. The integration is done based on small scale integration, Medium-scale integration.

According to Amrita Pahadia et al, (2021) it is said that the need for low power is extremely crucial in the use of the VLSI equipment [23]. They help in improving the performance.

Cherry Bhargava et al, (2020), have stated it that are many ways to follow the trends in the design and the manufacturing process [24]. By following the trends, it is possible to make sure that the circuit of the VLSI design can be smaller and the area is also reduced.

According to Atin Mukherjee et al, (2019), many machines can be used to analyze the VLSI graph and the related system [25]. This helps in understanding the system.

According to Bharati et al, (2021), many VLSI systems have been using the IoT system, and the security of the IoT devices is also improved.

According to Yibo Lin, (2020) states that GPU acceleration has been providing a new type of opportunities and also giving them a new update on the design of the VLSI system design [26].

According to Keewon Joe et al, (2021) there are many applications when it comes to the VLSI implementation process. The entire system can be used based on the audio and video format.

As stated by Naznin Akter et al, (2020), the complexity of the entire VLSI system has been increasing quite rapidly [27]. The various update is developed so that the system becomes more proper.

As stated by Malti Bansal et al, (2021) The VLSI sector have been taking over half of the country and making sure that they become one of the largest semiconductor industries in the town [28].

As stated by Yibo lin et al, (2020) that the VLSI is one of the most important things for the design enclosure process. In this case they have been working on training the neural network [29]. According to Sameer Suman et al, (2021), the use of the 8-bit ALU has been quite good for the VLSI design and the user.

According to Gadge Hills et al, (2018), there are many energy efficiency benefits where they have been working on the field effect transistors that will help the VLSI system design [30].

According to You tun Teng et al, (2021) there are many S boxes under the ALU that have been used to boost the VLSI design and also run the system [30].

III. MATERIALS AND METHODOLOGY

A. Research Approach

Here deductive approach has been used to accumulate all the in formations about the vulnerabilities that might be present in the application of the VLSI technology and that is the reason why a detailed analysis is done in detail [31]. Different journals and websites have used to gather the ideas about the system involved in the VLSI technology. Many types of ideas also help them to analyze the data that are related to the VLSI system [32].

According to Asai, 2018 there is also a proper examination of the data. the interpretive philosophy can be explained that the science behind the VLSI is quite subjective and also allows the alternative models to be used for the explanation process [33]. It helps in emphasizing the various aspect of science.

According to Mohammed, 2019 using the VLSI design it helps in the reduction of the circuit size and make sure that the cost of devices is reduced. The circuit functioning speed is also improved. In addition, the energy used is less.

According to Oksana et al, 2019 VLSI have been helping many techs to grow every day. The fast-expanding industry is supported by the VLSI design.

According to Sung et al, 2020 there are many VLSI career opportunities. The VLSI with nth updates are improving the design of the system. Therefore, this have been helping the designers to get the job.

According to Jordi et al, 2021 the VLSI circuits have been working on to make sure that the circuits are really integrated. The product innovation process will also improve in every sector where the VLSI is used.

According to Monzurul et al, 2021 technologies are also advanced. Also in the thinking, process of the people who are working with the technologies is always rewarding the opportunities.

According to Jheng et al, 2022 VLSI design have improved the reliability of the devices where the VLSI devices have used.

According to Mojtab et al, 2022 the back-end design is also involved in the VLSI design. They help in understanding the fault and understand the physical design.

According to Shilpa et al, 2018 Also the problem will be specified in the VLSI design. The functionality and the performance are also measured.

According to Hao et al, 2018 The VLSI design have been working on various type of functional design that will provide a certain amount of specification that will be both physical and electrical.

According to chen et al, 2019 the logic design is also provided by the VLSI design that will helping them to make sure that the entire tech is designed properly.

According to Dewan et al, 2019 the design of the VLSI system has updated often to adapt with the changes that have been taking place.

According to Castenda et al, 2018 the portability and the performance of the VLSI technology will be helping in driving the electronics advancement.

According to Chandra et al, 2021 there are a lot of low margin error that exist in the VLSI technology.

According to Cao et al, 2021 with the help of the VLSI many problems related to the technology can be solved. There are many tools that are provided by the VLSI to solve the problems.

B. Research Philosophy

In this research, analysis **interpretive philosophy** has been used that helps in the process of making a proper interpretation [34]. It is the probability of threats and risks involved in the process of analysis.

C. Research Design

To perform this research **qualitative design** has been used which mainly helps in the process of making a proper interpretation and representation of the security models that will be designed the VLSI technology [35]. The first thing in the qualitative design is that at first, we have to identify the key research ideas where the problems will be asked and suggestions will be taken [36]. The second is to identify the key research design features [37]. This help in designing the research plan. The third is to match up the research ideas with the research design or the qualitative design of the VLSI.

D. Research Strategy

In this research analysis **action-oriented strategy** has been used to get the desired solution on the application of the VLSI technology [38]. The action-oriented strategy can be used to boost the research facts and also discover the capabilities [39]. The collaboration with the other sources can be done more properly [40]. The action-oriented strategy will also help in finding the general knowledge based on the VLSI system.




Figure 3: Circuit and physical design of VLSI
(Source: <http://ece-research.unm.edu/>)

IV. RESULTS AND DISCUSSION

Here in this research analysis secondary data is used to analyze the vulnerability of the threats involved in the application of the VLSI technology [41]. As discussed before with the use of the VLSI system the circuit size has been reduced. Second is the VLSI there is a lot of job inflow for the setup management [42]. Also, the circuits that are designed using the VLSI system are so small that they are quite efficient in the area. The power of the VLSI usage is quite less [43]. The VLSI can be used in digital signal processing and analyzing the digital signal [44]. The VLSI system is also used in the household types of equipment that will be making the job easier [45]. The third is the Automobiles, especially EVs. the smart EVs will be able to use the VLSI to improve the efficiency of the car. One of the principal targets of any coordinated circuit is low power layout. A kind of coordinated circuit (IC) known as Exceptionally Enormous Scope Joining (VLSI) integrates endless semiconductor associations into a little chip. The improvement of VLSI circuit chart as microcontrollers and microchips has sped up the development of PC and correspondence applications over the beyond ten years for low-power circuits [53]. However, examination into VLSI is moving all the more rapidly toward region minimization and the extent of electricity. The paper gives an outline of the momentum execution improvement strategies for VLSI draws and diagrams the areas of VLSI circuit plan that will be the concentration in the future. After applying all the assumption on the proper input waveform this has no increasing rate and proper drop time. It is possible to consume the energy at the time of low to high output and the complete transition can achieve the integration. So, to draw the CL integrates equation is

$$P = P_{\text{dynamic-switching}} + P_{\text{short-circuit}} + P_{\text{static-biasing}} + P_{\text{leakage}}$$

To measure the complete energy consumption the switch of circuit has to be taken in the account and the frequency is very important to gate switch with f , so the complete power from the supply is

$$P_{\text{dynamic-switching}} = CL * V_{dd}^2 f$$




Figure 4: Design of the VLSI system
(Source: <https://www.tutorialspoint.com/>)

V. CONCLUSION & FUTURE SCOPE

Here the detailed research analysis will be concluded after data analysis and along with the future scope of the VLSI technology will also be discussed [3]. That is how this technology can be improvised in better way in the near future. Many companies are seeking the help of the VLSI system to make their system faster and also make it more efficient [46]. The demand for the VLSI system has been rising [47]. Shortly, it can be said that people or industries will be giving a lot of money to buy the devices and implement them in their systems to make them more efficient.

REFERENCES

- [1] Bansal, M., 2022. Machine Learning Perspective in VLSI Computer-Aided Design at Different Abstraction Levels. In *Mobile Computing and Sustainable Informatics* (pp. 95-112). Springer, Singapore.
- [2] Boning, D.S., Elfadel, I.A.M. and Li, X., 2019. A preliminary taxonomy for machine learning in VLSI CAD. In *Machine Learning in VLSI Computer-Aided Design* (pp. 1-16). Springer, Cham.
- [3] Chen, X., Liu, G., Xiong, N., Su, Y. and Chen, G., 2020. A survey of swarm intelligence techniques in VLSI routing problems. *IEEE Access*, 8, pp.26266-26292.
- [4] Kumar, S.V., Rao, P.V., Sharath, H.A., Sachin, B.M., Ravi, U.S. and Monica, B.V., 2020. Review on VLSI design using optimization and self-adaptive particle swarm optimization. *Journal of King Saud University-Computer and Information Sciences*, 32(10), pp.1095-1107.
- [5] Saurabh, S., Jain, P., Agarwal, M. and Ram, O.S., 2022. Applications of Machine Learning in VLSI Design. In *VLSI and Hardware Implementations Using Modern Machine Learning Methods* (pp. 125-139). CRC Press.
- [6] Tan, S.X., Tahoori, M., Kim, T., Wang, S., Sun, Z. and Kiamehr, S., 2019. Long-Term Reliability of Nanometer VLSI Systems: Modeling, Analysis and Optimization (pp. 343-355). Cham, Switzerland: Springer.
- [7] devi Ykuntam, Y., Pavani, K., & Saladi, K. (2020, July). Design and analysis of High speed wallace tree multiplier using parallel prefix adders for VLSI circuit designs. In *2020 11th International Conference on Computing, Communication and Networking Technologies (ICCCNT)* (pp. 1-6). IEEE.
- [8] Srinivas, M., & Sagar, K. D. (2021, November). Analysis On Power Gating Circuits Based Low Power VLSI Circuits (BCD Adder). In *Journal of Physics: Conference Series* (Vol. 2089, No. 1, p. 012080). IOP Publishing.
- [9] Shah, V., Fatak, U., & Makwana, J. (2019, April). Design and Performance Analysis of 32 Bit VLSI hybrid adder. In *2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI)* (pp. 1070-1075). IEEE.
- [10] Mirfarshbafan, S.H., Gallyas-Sanhueza, A., Ghods, R. and Studer, C., 2020. Beam space channel estimation for massive MIMO mm Wave systems: Algorithm and VLSI design. *IEEE Transactions on Circuits and Systems I: Regular Papers*, 67(12), pp.5482-5495.
- [11] Pei, Z., Dutta, A., Shang, L., Jung, S. and Pan, C., 2021. Interconnect Technology/System Co-Optimization for Low-Power VLSI Applications Using Ballistic Materials. *IEEE Transactions on Electron Devices*, 68(7), pp.3513-3519.
- [12] Shilpa, K.C., Shwetha, M., Geetha, B.C., Lohitha, D.M. and Pramod, N.V., 2018, April. Performance analysis of parallel prefix adder for datapath VLSI design. In *2018 Second International Conference on Inventive Communication and Computational Technologies (ICICCT)* (pp. 1552-1555). IEEE.
- [13] Kishore, S.K., Patnala, T.R., Tigadi, A.S. and Jamshed, A., 2020, September. An On-chip Analysis of the VLSI designs under Process Variations. In *2020 International Conference on Smart Electronics and Communication (ICOSEC)* (pp. 1273-1277). IEEE.

- [14] Shaminder, K. (2021). securing vlsi circuits against side channel attacks by using efficient detection technique (Doctoral dissertation, Chitkara university, Punjab).
- [15] Amin, A.B. and Ullah, M.S., 2020. Mathematical framework of tetramorphic MWCNT configuration for VLSI interconnect. *IEEE Transactions on Nanotechnology*, 19, pp.749-759.
- [16] Thakur, N., Saxena, S. and Kumar, D., 2020 Circuit Simulation Techniques of VLSI Circuits.
- [17] Rakesh, S. and Grace, K.V., 2019. A comprehensive review on the VLSI design performance of different Parallel Prefix Adders. *Materials Today: Proceedings*, 11, pp.1001-1009.
- [18] Li, J.D. and Fan, C.P., 2020. Design and VLSI Implementation of Low Latency IEEE 802.11 i Cryptography Processing Unit. *Journal of Advances in Computer Networks*, 8(1).
- [19] Pahadia, A. and Changlani, S., 2021. Low Power Techniques in VLSI. *Journal of Advanced Research in Electronics Engineering and Technology*, 8(3&4), pp.1-7.
- [20] Bhargava, C. and Khanal, G.M., 2020. *Advanced VLSI Technology Technical Questions and Solutions* (pp. i-xxiv). River Publishers.
- [21] Mukherjee, A., Choudhury, D., Shantharam Kalipatnapu, R.J., Chakrabarti, I., Vishnoi, U., Dhiman, R. and Kumar, R., 2019 *IEEE VLSI Circuits and Systems Letter*.
- [22] Bharathi, N. and Jayavel, K., 2021, December. Role of VLSI Design To Build Trusted And Secured IOT Devices-A Methodological Approach. In *2021 5th International Conference on Electronics, Communication and Aerospace Technology (ICECA)* (pp. 473-479). IEEE.
- [23] Lin, Y., 2020, November. GPU acceleration in VLSI back-end design: Overview and case studies. In *2020 IEEE/ACM International Conference On Computer Aided Design (ICCAD)* (pp. 1-4). IEEE.
- [24] Joe, K., Oh, H., Jeon, S., Seong, H.S. and Jung, C., 2021, January. AVS3 Decoder Architecture and VLSI Implementation for 8K UHD TV Application. In *2022 IEEE International Conference on Consumer Electronics (ICCE)* (pp. 1-2). IEEE.
- [25] Kumar, V., Baskar, D., Arunsi, M., Jenova, R., & Majid, M. A. (2019). VLSI design and implementation of High-performance Binary-weighted convolutional artificial neural networks for embedded vision based Internet of Things (IoT). *Procedia Computer Science*, 163, 639-647.
- [26] Bansal, M., Arora, R. and Bharti, R., 2021, May. VLSI Layout: Concept to Realization. In *2022 International Conference on Applied Artificial Intelligence and Computing (ICAAC)* (pp. 1590-1596). IEEE.
- [27] Sepranos, D., & Wolf, M. (2019). Challenges and opportunities in VLSI IoT devices and systems. *IEEE Design & Test*, 36(4), 24-30.
- [28] Suman, M.T.S.S. and HOD, A.J., 2021. VLSI Architecture for 8-bit Reversible Arithmetic Logic Unit based on Programmable Gate.
- [29] Hills, G., Bardon, M.G., Doornbos, G., Yakimets, D., Schuddinck, P., Baert, R., Jang, D., Mattii, L., Sherazi, S.M.Y., Rodopoulos, D. and Ritzenthaler, R., 2018. Understanding energy efficiency benefits of carbon nanotube field-effect transistors for digital VLSI. *IEEE Transactions on Nanotechnology*, 17(6), pp.1259-1269.
- [30] Sepranos, D., & Wolf, M. (2019). Challenges and opportunities in VLSI IoT devices and systems. *IEEE Design & Test*, 36(4), 24-30.
- [31] Kumar, V., Baskar, D., Arunsi, M., Jenova, R. and Majid, M.A., 2019. VLSI design and implementation of High-performance Binary-weighted convolutional artificial neural networks for embedded vision-based Internet of Things (IoT). *Procedia Computer Science*, 163, pp.639-647.
- [32] Khailany, B., Ren, H., Dai, S., Godil, S., Keller, B., Kirby, R., Klinefelter, A., Venkatesan, R., Zhang, Y., Catanzaro, B. and Dally, W.J., 2020. Accelerating chip design with machine learning. *IEEE Micro*, 40(6), pp.23-32.
- [33] Design , I.p.v., simulation & probabilistic power analysis faculty of engineering & technology school of electronic sciences me-vlsi design full time aarupadai veedu institute of technology, paiyanoor, p.21.
- [34] Dewan, M. I., & Kim, D. H. (2022). Design Automation Algorithms for the NP-Separate VLSI Design Methodology. *ACM Transactions on Design Automation of Electronic Systems (TODAES)*, 27(5), 1-20.
- [35] Dutta, U., Soni, M.K. and Pattanaik, M., 2018. Design and Analysis of Tunnel FET for Low Power High Performance Applications. *International Journal of Modern Education & Computer Science*, 10(1).
- [36] Tiwari, A. and Sahu, R.P., 2018. A review on design and analysis of low power PLL for digital applications. *IJRASET*, 6, pp.1677-1684.
- [37] Subhasri, G., & Radha, N. (2019, May). VLSI design of parity check code with hamming code for error detection and correction. In *2019 International Conference on Intelligent Computing and Control Systems (ICCS)* (pp. 15-20). IEEE.
- [38] Sarma, P. and Barma, S., 2020. Review on stimuli presentation for affect analysis based on EEG. *IEEE Access*, 8, pp.51991-52009.
- [39] Yang, Y. and Hemani, A., 2022. Vesyla-II: An Algorithm Library Development Tool for Synchoros VLSI Design Style. *arXiv preprint arXiv:2206.07984*.
- [40] Geethanjali, G.C., Prathima, P.D., Preethi, G.M., Likitha, R. and Manjula, B.B., 2022. Implementation and Analysis of Wallace Tree Multiplier Using Kogge Stone Adder
- [41] Alawieh, M. B., Ye, W., & Pan, D. Z. (2020, November). Re-examining vlsi manufacturing and yield through the lens of deep learning:(invited talk). In *2020 IEEE/ACM International Conference on Computer Aided Design (ICCAD)* (pp. 1-8). IEEE.

- [42] Yazdeen, A.A., Zeebaree, S.R., Sadeeq, M.M., Kak, S.F., Ahmed, O.M. and Zebari, R.R., 2021. FPGA implementations for data encryption and decryption via concurrent and parallel computation: A review. *Qubahan Academic Journal*, 1(2), pp.8-16.
- [43] Baker Alawieh, M., Lin, Y., Ye, W. and Z Pan, D., 2019. Generative learning in VLSI design for manufacturability: Current status and future directions. *Journal of Microelectronic Manufacturing*, 2(4).
- [44] Banu, S., & Gupta, S. (2021, December). Leakage Minimization in Semiconductor Circuits for VLSI Application. In 2021 5th International Conference on Electrical, Electronics, Communication, Computer Technologies and Optimization Techniques (ICEECCOT) (pp. 65-68). IEEE.
- [45] Mallick, P.K., Balas, V.E., Bhoi, A.K. and Zobaa, A.F., 2021. *Cognitive informatics and soft computing*. Springer Singapore.
- [46] Asai, S. (Ed.). (2018). *VLSI Design and Test for Systems Dependability*. Springer.
- [47] Tirumalasetty, V. R., & Machupalli, M. R. (2019). Design and analysis of low power high-speed 1-bit full adder cells for VLSI applications. *International Journal of Electronics*, 106(4), 521-536.
- [48] Lin, Y., 2020, November. GPU acceleration in VLSI back-end design: Overview and case studies. In 2020 IEEE/ACM International Conference on Computer Aided Design (ICCAD) (pp. 1-4). IEEE.
- [49] John, T.M. and Chacko, S., 2021, March. High Speed Vlsi Architectures of Fir Filters for Image Applications–A Review. In *IOP Conference Series: Materials Science and Engineering* (Vol. 1084, No. 1, p. 012054). IOP Publishing.
- [50] González, J.A., Stathis, D. and Hemani, A., 2021, October. Synthesis of predictable global NoC by abutment in synchoros VLSI design. In 2021 15th IEEE/ACM International Symposium on Networks-on-Chip (NOCS) (pp. 61-66). IEEE.
- [51] Lin, Y., 2020, November. GPU acceleration in VLSI back-end design: Overview and case studies. In 2020 IEEE/ACM International Conference on Computer Aided Design (ICCAD) (pp. 1-4). IEEE
- [52] Madhura, S., 2022. A Review on Low Power VLSI Design Models in Various Circuits. *Journal of Electronics*, 4(2), pp.74-81.