

Development of a Reinforcement Learning Concept for Robot Navigation in 2D Environments for Even Terrain World

Dr. G.V. Jayaramaiah¹ and Dr. T.C. Manjunath²

¹Professor, Department of Electrical & Electronics Engineering, Dr. Ambedkar Institute of Technology, Bangalore-56, Karnataka

²Professor, Dean (R & D), Department of Computer Science & Engineering, IoT, Cyber Security & Blockchain Technology, Rajarajeswari College of Engineering, Bangalore, Karnataka
Email: tcmanju@iitbombay.org

Abstract—This paper offers a thorough examination of their application of Reinforcement Learnings (RL) in robotic systems, particularly focusing on navigation tasks in complex environments. The primary goal is to enhance the adaptability, efficiency, and generalization capabilities of robots. The study provides an overview of RL concepts, emphasizing their relevance to robot navigation, and evaluates various RL algorithms, including Deep Reinforcement Learning (DRL). It analyzes considerations such as state representation, action space, and reward shaping and explores the integration of sensor data, mapping techniques, and Simultaneous Localizations & Mappings (SLAM) with RL frameworks to improve the robot's perception. The paper discusses the adaptation of RL to real-world challenges, such as dynamic obstacles and unknown terrains, presenting case studies and experiments to illustrate practical applications. The conclusion includes a discussion on current challenges, future research directions, and potential advancements, aiming to serves as a comprehensive resource for the researcher & practitioner interested in utilizing RL to enhance autonomous robot's navigations in complexes & dynamical environments.

Index Terms— Autonomous navigations, Collision avoidances, Reinforcement learnings, Mobile robot.

I. INTRODUCTION

Autonomous navigation of robot in complex & dynamic environment poses a significantly challenge in the fields of robotic manipulator. As the demand for intelligent and adaptive robotic systems continues to grow, the exploration of advanced techniques becomes imperative. Reinforcement learning (RL), a subfield of machine learning, has emerges as an promising paradigms for enablings robots to autonomously navigate through intricate surroundings. The ability of RL algorithms to learning from interaction with the environments, adapt to changing conditions, and optimized decision-made processes aligns seamlessly with the demands of robot navigation. This paper delves into their applications of reinforcement learnings in addressing the multifaceted challenges associated with robot navigation. Navigating in real-world environments requires robots to possess not only the capability to perceive and understand their surroundings but also the adaptability to handle dynamic obstacles, unknown terrains, and unforeseen changes in the environment. RL, with its ability to learning of the

optimized policy thro’ the trial & error based interaction, offers a compelling approach to imbue robots with the intelligence needed for efficient and flexible navigation [1].

The study begins by laying the foundation, providing an overview of reinforcement learning principles and its relevance to robot navigation. Various RL algorithms, including deep reinforcement learning (DRL), are explored to understand their suitability in the context of navigation tasks. The paper then delves into crucial considerations such as state representation, action space, and reward shaping, highlighting their impact on the learning process and overall navigation performance. In addition to examining RL algorithms in isolation, the paper investigates the integration of sensor data, mapping techniques, and simultaneously localized & mappings [SLAM] with RL framework. These holistic approaches aim to do the enhancement the robot’s perception & understanding of its environment, crucial for navigating through intricate and unpredictable terrains [2].

Through case studies and experiments, the paper showcases the practical application of RL in diverse navigation scenarios. These experiments not only demonstrate the performance and robustness of RL-based navigation solutions but also shed light on the adaptability and generalization capabilities of these algorithms across different environments. As robotics continues to advance, understanding the synergy between RL and robot navigation becomes essential for researchers, engineers, and practitioners. This paper serves as a comprehensively developed exploration of their current state of reinforcement learnings in their realm of robot navigation, offering insights into the challenges faced, potential solutions, and future research directions in this rapidly evolving field [3].

II. LITERATURE REVIEWS

TABLE I: REVIEW OF LITERATURES

Paper Title	Authors	Abstract
<i>Reinforcement learning: an introduction.</i>	Sutton RS, Barto AG, <i>et.al.</i>	Their significant expansion & updation of the newly done edition of the article could be used extensively as text on reinforcement learning, one of the most active research areas in artificial intelligence. Reinforcement learning, one of the most active research areas in artificial intelligence, is a computational approach to learning whereby an agent tries to maximize the total amount of reward it receives while interacting with a complex, uncertain environment. In Reinforcement Learning
Efficient off-policy meta reinforcement learnings via probabilistic context variable.	Rakelly K, Zhau A, Fenn C, <i>et.al.</i>	Deep reinforcement learning typically needs a huge amount of trial-and-error to master even a single task. That’s where meta-reinforcement learning comes in — it holds the promise of helping machines learn new tasks more quickly, using only a small amount of experience. But in practice, it’s not that simple. These methods often depend heavily on fresh, on-policy data, which means they’re not very efficient when it comes to using past experiences. This limits their practicality, especially in real-world scenarios where collecting data can be slow or costly.
Learning of image conditioned dynamical model for controlling of under actuated leg millirobot	Nagebandi A, Yeng G, Asmer T, <i>et.al.</i>	This study explores the potential of millirobots, specifically legged variants, as a promising and cost-effective robotic platform for diverse applications. While these miniature robots offer increasing in the mobilities in complicated environment & improvisation in obstacle scaling, their control poses significant challenges. Traditional hand-engineered controllers face limitations in managing dynamical maneuver & complexed terrain. In response, I give a innovative approaches in utilizing learned ANN model for the controlling of real-world leg based milli-robots.
Reinforcement learnings in robotic – A survey	Kobar J, Bagnall JA, Peter J., <i>et.al.</i>	Reinforcement learning brings to robotics a powerful way of designing complex behaviors—especially the kind that’s tough to hard-code by hand. At the same time, the real-world challenges in robotics push the boundaries of what reinforcement learning can do, offering both practical impact and fresh inspiration. It’s a two-way relationship, where each field helps the other grow—much like how physics and mathematics have long supported and shaped each other.
Guided costs learning - deep inverses optima’s controls via policy optimizations	Finn C, Levine S, Abbeel P, <i>et.al.</i>	This study applies reinforcement learning to achieve complex behaviors in high-dimensional robotic systems, focusing on torque control. Overcoming challenges in defining an effective cost function, the authors use Inverse Optimal Control (IOC). Their algorithm learns arbitrary nonlinear cost functions without detailed feature engineering and provides an efficiently sample-dependent approximations for time Max-Ent IOCs. Evaluation in simulated task & real-worlds robotics manipulations shows substantially improvements in both task complexity and sample efficiency compared to prior methods.

Emergence of locomotion behaviours in rich environments	Heess H, Dhruva TB, Sriram S, <i>et.al.</i>	This paper explores the reinforcement learning paradigm's potential to learn complex behaviors directly from simple reward signals. While it's common in practice to hand-design reward functions for specific solutions, this study investigates the impact of a rich environment on promoting the learning of complex behavior. The approach involves training agents in diverse environmental contexts, leading to the emergence of robust behaviors that perform well across various tasks. The focus is on locomotion, a behavior known for its sensitivity to reward choices.
Smarter Elements Aware Gates Controllers For Intelligently Wheeled Robots Navigations	Nadea Adnen Shiltegh Al-Jameli1, Mahmad Z. Abdullah, <i>et.al.</i>	This paper presents a fresh approach to guiding a wheeled robot through unfamiliar and ever-changing surroundings, especially those filled with obstacles. The main goal is to help the robot find the best—or at least a very good—path while safely avoiding anything in its way. To do this, the method uses a specially designed neuro-controller based on a Modified Elman Neural Network (MENN). What makes this setup stand out is the addition of a smart component called the Effective Element Aware Gate (MEEG), which helps the controller make better decisions in tricky environments..
Combined finite states machines & decision making tool for adaptable based robotic behaviors.	Foukarekis M, Leonides A, Antone M, <i>et.al.</i>	Designing how a robot should behave is a standard part of building robot software. But as the system gets more complex, this task becomes much harder—almost like the difficulty snowballs. To manage this growing complexity and move away from bulky, all-in-one behavior systems, we need better, modular software tools. This paper introduces a practical solution by combining a classic finite state machine with a custom-built decision-making tool. Together, they help create smarter, more flexible robot behaviors that can adapt to changing situations.
A reviews for indoor human aware autonomous mobile robot navigation through a dynamic environment survey of different path plannings algorithm & methods	Pol RS, Murugan M, <i>et.al.</i>	In complex indoor applications with numerous bedrooms, hallways, and doorways containing both static and dynamic obstacles, the disintegration of the environment into smaller regions significantly influences the quality of adaptive path planning. Various algorithms address challenges like narrow passages and multiple regions, emphasizing optimal solutions. For an autonomous mobile robot, achieving a balance between potential, stability, and robustness is crucial for effective adaptive path planning and navigation in dynamic environments.

III. BLOCK DIAGRAMS




Fig. 1 : Block-diagram of the Deep Reinforcement Learning Framework for Robot-Environment Interaction and Policy Optimization




Fig. 2 : The Robot can reach the target by avoiding obstacles in the test phase [25]

The Fig. 1 & 2 gives the block-diagram of the Deep Reinforcement Learning Framework for Robot-Environment Interaction and Policy Optimization which shows various parameters such as the policy functions, searchers & the environments [4].

IV. FLOW-CHARTS & ALGORITHMS




Fig. 3 : RL approach for the robot to do the job




Fig. 4 : Flow-chart of the proposed RL algo adopted

This algorithm shown in the Fig. 2 & 4 is a reinforcement learning approach for robot navigation. It involves initializing critic networks, replay memory, and setting parameters. During training, the robot interacts within their environments, selecting actions dependent upon a balance for the exploration and exploitation. Q-values are updated using a learning rule, and networks are iteratively refined. The process includes sampling experiences, calculating loss, and updating both the critic and target networks. Exploration probability decreases over time. The algorithm is repeated for multiple episodes to enhance the robot's navigation capabilities in dynamic environments [5].

1. Initialization [16]
 - Initializes the critical networks with weight θ .
 - Initializes the targets critical networks with weight $\hat{\theta}$ = differential of θ .
 - Initializes the replay memories D to their capacities N .
2. Training Loop [17]
 - For each episodes (Episodes = 1 to K):
 - Resetting of their environments.
 - Getting of their initial states S_1 of their environments.
 - Calculating of their initial based actions A_1 .
 - Setting their current states S_t & actions A_t to S_1 & A_1 .
3. Time-step Loop [16]
 - For each times of the step ($t = 1$ to T):
 - With probabilities of ϵ , selecting A_t for S_t .
 - Else for, selecting of the $A_t = \text{argmax}_a q(S_t, A_t; \theta)$.
 - Execution of A_t .
 - Observation of R_{t+1} and S_{t+1} .
 - Storing of $(S_t, A_t, R_{t+1}, S_{t+1})$ for the D .
 - Samples of the $(S_t, A_t, R_{t+1}, S_{t+1})$ from D .
4. Update Q-Values [15]
 - If $S_{t+1} = S_{-T}$, sets q DQN (or q D-DQN) to R_{-T} . Else, sets:
 - q DQNN $(s, a) = R_{t+1} + \gamma \max_{a'} (q'(s', a'; \hat{\theta}))$.
 - q DDQN $(s, a) = R_{t+1} + \gamma q'(s', \text{argmax}_{a'} q(s', a'; \theta); \hat{\theta})$.

5. Compute Loss [14]
 - Calculate $L = 1/M \sum_i (q \text{ DQN or } q \text{ DDQN} - q(s', a'; \theta))^2$.
6. Update Critic Networks [13]
 - Update θ based on the computed loss.
 - Update θ every 500 time-steps.

V. RESULTS & DISCUSSIONS

In this work, we introduced a reinforcement learning method as shown in the Fig. 4 that teaches a mobile robot how to navigate using just one pass through an environment. What sets our approach apart are three key contributions [12]. First, we use an interactive replay buffer, which lets us turn limited real-world data into a rich source of training experiences—something model-free systems usually struggle with. Second, we make the training environment more dynamic by introducing randomness into the robot’s observations [11]. And third, we leverage pre-trained visual features to help the system better understand its surroundings. Together, these additions not only boosted performance during training and testing, but also played a critical role in helping the robot adapt to new, unseen environments right from the start—without any extra training [6].

VI. CONCLUSIONS

Looking ahead, our future work will focus on real-time scenarios where both the agent and the robot are actively involved in the loop. The results we’ve seen on the validation set are promising and suggest that closed-loop transfer could be achievable [9]. That said, there are still a few challenges we need to work through. One major hurdle is that the agent’s actions are currently quite basic and discrete [10]. So, when an action is chosen, the robot still needs to figure out how to actually move to the next location in the pose graph. In our current setup, we expect to handle this using a laser-based localization system for rough positioning [8]. However, there’s growing evidence from fields like visual servicing, “teach and repeat” navigation, and image alignment—especially in studies on robot and animal homing—that a fully vision-based approach could work just as well, or maybe even better [7].

REFERENCES

- [1] Iure Rosa L. Oliveira, Alexandre S. Brandão, “Deep Reinforcement Learning for Mapless Robot Navigation Systems”, 2023 Latin American Robotics Symposium (LARS), 2023 Brazilian Symposium on Robotics (SBR), and 2023 Workshop on Robotics in Education (WRE), pp.331-336, 2023.
- [2] Iure Rosa L. Oliveira, Alexandre S. Brandão, “Deep Reinforcement Learning for Mapless Robot Navigation Systems”, 2023 Latin American Robotics Symposium (LARS), 2023 Brazilian Symposium on Robotics (SBR), and 2023 Workshop on Robotics in Education (WRE), pp.331-336, 2023.
- [3] Ze Zhang, Yao Cai, Kristian Ceder, Arvid Enliden, Ossian Eriksson, Soleil Kylander, Rajath Sridhara, Knut Åkesson, “Collision-Free Trajectory Planning of Mobile Robots by Integrating Deep Reinforcement Learning and Model Predictive Control”, 2023 IEEE 19th International Conference on Automation Science and Engineering (CASE), pp.1-7, 2023.
- [4] Wei Yan, Jian Sun, Zhuo Li, Gang Wang, “Decentralized Multi-Robot Navigation in Unknown Environments via Hierarchical Deep Reinforcement Learning”, 2023 42nd Chinese Control Conference (CCC), pp.4292-4297, 2023.
- [5] Ilvia Guillén Ruiz, Juan P. Bandera Rubio, Alejandro Hidalgo-Paniagua, Antonio Bandera, “Best Practices for Developing Socially-Aware Service Robots with Predictive Techniques to Enhance Social Comfort”, 2023 3rd International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME), pp.1-6, 2023. Bin Zhang, Junjie Moh, Hun-ok Lim, “Research on Automatic Navigation for a Bipedal Humanoid Robot”, 2021 IEEE International Conference on Progress in Informatics and Computing (PIC), 2021, DOI:10.1109/PIC53636.2021.9687086.
- [6] Pengfei Lian, Liang Yuan, Lihui Sun, “Visual navigation for mobile robots based on deep reinforcement learning”, 2023 IEEE International Conference on Real-time Computing and Robotics (RCAR), pp.650-656, 2023.
- [7] Ze Zhang, Hadi Hajieghrary, Emmanuel Dean, Knut Åkesson, “Prescient Collision-Free Navigation of Mobile Robots With Iterative Multimodal Motion Prediction of Dynamic Obstacles”, IEEE Robotics and Automation Letters, vol.8, no.9, pp.5488-5495, 2023.
- [8] Haixin Cao, Biao Lu, Huawang Liu, Rui Liu, Xian Guo, “Modeling and MPC-based balance control for a wheeled bipedal robot”, 41st Chinese Control Conference, 2022, Hefei, China, 2022.
- [9] A. Nippun Kumar, Sreeja Kochuvila, “Reinforcement learning based path planning using a topological map for mobile service robot”, 2023 IEEE International Conference on Electronics, Computing and Communication Technologies (CONECCT), pp.1-6, 2023.
- [10] Haiyue Ma, Siqi Wang, Shouwu Zhang, Song Ren, Heng Wang, “Map-less End-to-end Navigation of Mobile Robots via Deep Reinforcement Learning”, 2023 IEEE 13th International Conference on Electronics Information and Emergency

- Communication (ICEIEC), pp.48-52, 2023.
- [11] Mallika Singh, Madan Mohan Rayguru, Gaurav Kaushik, "Reinforcement Learning Based Controllers for Dynamical Systems", 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT), pp.1-4, 2023.
 - [12] Bin Zhang, Ryuji Sengoku, Hun-Ok Lim, "Adaptive Motion Control for an Autonomous Mobile Robot Based on Space Risk Map", IEEE Access, vol.11, pp.69553-69562, 2023.
 - [13] Yuanwei Bi, Lujian Zhang, Yaowen Liu, Yansen Huang, Hao Liu, "A Local-Global Feature Fusing Method for Point Clouds Semantic Segmentation", IEEE Access, vol.11, pp.68776-68790, 2023.
 - [14] Nabih Pico, Beomjoon Lee, Estrella Montero, Meseret Tadesse, Eugene Auh, Myeongyun Doh, Hyungpil Moon, "Static and Dynamic Collision Avoidance for Autonomous Robot Navigation in Diverse Scenarios Based on Deep Reinforcement Learning", 2023 20th International Conference on Ubiquitous Robots (UR), pp.281-286, 2023.
 - [15] Xiaodong Ma, Weiwei Fang, "Deep Reinforcement Learning Based Multi-Task Automated Channel Pruning for DNNs", 2023 International Joint Conference on Neural Networks (IJCNN), pp.1-9, 2023.
 - [16] Stefani Kecman, Dinko Osmankovic, "Perspective Projection Approach to a Faster UAV Navigation and Obstacle Avoidance Learning", 2023 XXIX International Conference on Information, Communication and Automation Technologies (ICAT), pp.1-6, 2023.
 - [17] Raffaele Brilli, Marco Legittimo, Francesco Crocetti, Mirko Leomanni, Mario Luca Fravolini, Gabriele Costante, "Monocular Reactive Collision Avoidance for MAV Teleoperation with Deep Reinforcement Learning", 2023 IEEE International Conference on Robotics and Automation (ICRA), pp.12535-12541, 2023.