

Metal Dust Extraction and AQI Monitoring: A Review

Samrat Potadar¹ and Dr. S.N. Patil²

¹Lecturer, SIT Polytechnic, Ichalkaranji and Research Scholar PVPIT, Budhagaon, Maharashtra, India
Email: potadarsamrat6@gmail.com

²Associate Professor, PVPIT Budgaon, Maharashtra, India
Email: snpatil.eln@pvpitsangli.edu.in

Abstract— Metal dust generated in industrial processes poses significant health and environmental risks. For mitigating the health effects, a dust extraction solution often combines with accurate air quality monitoring. This paper discusses the impact of metal dust on human health, dust extraction systems and Air Quality Index (AQI) monitoring technologies to safeguard the workplace. A comprehensive review of current dust extraction techniques, including mechanical filtration and localized capture, is presented alongside developments in sensor-based AQI monitoring for continuous, real-time pollutant measurement and predictive analytics. The AQI monitoring enhances the efficiency and responsiveness of dust extraction systems by providing timely data on particulate concentrations, enabling dynamic system control and regulatory compliance.

Index Terms— Metal dust extraction, filters, AQI, pollution.

I. INTRODUCTION

The metal processing industries across the world are significant sources of various forms of pollution, adversely impacting air, water and soil environments [1]. Metal smelting and processing facilities emit large quantities of airborne pollutants including sulfur dioxide, nitrogen oxides, volatile organic compounds (VOCs), carbon monoxide, particulate matter and hazardous heavy metals such as lead, arsenic, chromium, cadmium and mercury [2]. These pollutants contribute to atmospheric smog, acid rain, respiratory illnesses and global greenhouse gas (GHG) emissions. For instance, steel and aluminum manufacturing together are responsible for over 10% of the world's CO₂ emissions [3]. The industry consumes significant volumes of water for cooling and cleaning, and improperly treated wastewater can release heavy metals and chemicals into rivers, lakes and groundwater [4]. This contamination threatens aquatic ecosystems and can bio accumulate in the food chain, presenting risks for both wildlife and human health. Metal extraction and ore processing also generate toxic residues and tailings which can leach into soils and surface waters causing persistent long-term harm [5].

II. METHODOLOGY

A systematic and structured approach is taken to gather, analyse and synthesize existing literature from assorted journals and conferences and technological advancements related to the control and assessment of airborne metal particulates. The selection criteria focused on studies addressing sources of metal dust in industrial environments, extraction and filtration technologies. AQI monitoring systems uses real-time sensor networks and IoT-based platforms.

The collected data were categorized based on extraction technique efficiency, sensor performance parameters and the influence of various operational conditions on AQI levels. The effects of metal dust on human health are also described.

III. HEALTH EFFECTS OF METAL DUST

Exposure to metal dust poses severe risks to human health, affecting multiple organ systems and often resulting in chronic disease states [6]. Breathing in fine metal dust can lead to serious pulmonary conditions, including asthma, chronic obstructive pulmonary disease, pneumoconiosis, bronchitis, rhinitis, hypersensitivity pneumonitis, and even lung cancer [7]. Exposure-response studies show that cumulative inhalation of dusts steadily deteriorates lung function over time, often resulting in shortness of breath, chronic cough, chest tightness, and reduced lung capacity [8]. Inhaled metal dust may cause heavy metal poisoning, which affects the blood, central nervous system, liver and kidneys and result in abnormal heartbeat, anemia, brain damage, memory loss, difficulty breathing and organ dysfunction. These effects are prominent with dusts containing lead, mercury, manganese, and arsenic, which are highly toxic and bio accumulative [9]. Contact with metal dust can cause skin irritation and rashes. Inhalation or ingestion, meanwhile, can impair neurological function [10].

TABLE I: HEALTH EFFECTS OF METAL DUST

Health Effect	Organ/System	Typical Metals Involved	Description/Symptoms
Respiratory diseases [11]	Lungs	Iron, Chromium, Nickel, Cobalt, Titanium	Asthma, COPD, pneumoconiosis, bronchitis, lung cancer
Heavy metal poisoning [12]	Whole body (systemic)	Lead, Mercury, Arsenic, Manganese	Anemia, kidney/liver damage, neurological effects
Cancer (lung, other organs) [10]	Lungs, blood, other	Chromium, Nickel, Arsenic	Increased risk of malignancies, genetic mutations
Cardiovascular diseases [12]	Heart, blood vessels	Lead, Arsenic, Cobalt	Arrhythmias, hypertension, higher heart disease risk
Skin irritation/rashes [13]	Skin	Nickel, Chromium, Cobalt	Dermatitis, contact rashes, irritation
Neurological impairment [14]	Brain, nervous system	Lead, Manganese, Mercury	Memory loss, cognitive disturbance, brain damage

IV. METAL DUST EXTRACTION SYSTEMS

Metal dust extraction systems are engineered solutions designed to capture, filter, and remove airborne metal particulates generated during various industrial processes such as grinding, cutting, milling, welding and CNC machining. These systems play a critical role in safeguarding workplace environments within metalworking, manufacturing and fabrication industries, as they directly prevent the accumulation of hazardous fine metal dust, which can impair worker safety, machinery function, and indoor air quality. Metal dust extraction systems vary widely in design and function, with their selection depending on factors such as dust type, particle size, industry requirements, and environmental regulations. The main types include dry dust collectors, wet dust collectors, and electrostatic precipitators, each with specific advantages and limitations [21].

Dry dust extraction systems, such as cartridge collectors, bag house filters, and cyclone separators, are widely used in metal processing industries due to their efficiency in capturing fine particulate matter. Cartridge and bag house filters utilize fabric or synthetic media to trap dust particles, offering high filtration efficiency often above 95%. Cyclone separators use centrifugal force to remove larger dust particles and are typically employed as pre-cleaners to prolong the lifespan of filter media. These systems are favoured for their low water usage and ability to handle large dust volumes but require regular maintenance to prevent clogging and ensure pressure drop does not compromise airflow [22].

Wet dust extraction systems use water or liquid sprays to capture dust particles from air streams, forming dust-laden droplets that are then removed from the air. These are particularly effective for handling combustible or sticky metal dusts that might clump or create fire hazards in dry systems. Wet scrubbers, for example, can remove both dust and soluble gases, making them versatile for certain industrial environments. However, wet systems generate contaminated wastewater requiring treatment and disposal, and their use may be limited in cold climates due to freezing risks [23].

Electrostatic precipitators (ESPs) operate by charging dust particles electrically and then collecting them on oppositely charged plates. ESPs are highly effective for submicron-sized particles and can operate continuously with minimal pressure drop, making them energy-efficient. They are common in large-scale operations where air

volumes are massive. However, ESPs possess high capital costs, require skilled maintenance, and are less effective with sticky or damp dusts [24]. Selection among these dust extraction systems depends on numerous factors, including dust composition and particle size distribution, facility air volume, environmental regulations, operational costs, and maintenance capabilities. Emerging innovations focus on hybrid systems combining dry and wet technologies, integration of smart sensors for real-time performance monitoring, and development of higher-efficiency, longer-lasting filter media to minimize maintenance and environmental impact [25]. Typical extraction setups include targeted ducting, specially designed hoods, and advanced filtration modules to effectively capture and contain dust at its source before it disperses throughout the facility [26].




Figure 1: Typical metal dust extraction system

Figure 1 shows a modern metal dust extraction system designed for industrial air quality management and worker safety. The metal dust is generated through industrial activities like cutting, grinding or welding. Dust-laden air first strikes on a baffle plate, which helps in redirecting airflow and reducing the velocity of large dust particles. This step promotes the settling of heavier particles before moving further into the system. Air containing fine dust enters the main cleaning chamber consisting bag filters. Cartridge or bag filters are highly efficient and can remove even submicron-sized particulates to ensure air quality compliance. The unidirectional valve allows dust to drop from the filter area into the dust collection basket while preventing backflow of dust particles into the system. Collected dust particles fall into a collection basket, which is periodically cleaned for safe disposal.

Steel plants generate significant dust and particulate emissions during processes like smelting and rolling, affecting worker health, equipment, and air quality. Traditional control methods are often inefficient and costly. Automated Dust Extraction Systems offer a smart, energy-efficient solution by using sensors, real-time monitoring and IoT-based controls to capture airborne particles. These systems enhance safety and accomplish the regulatory compliance.

Steel dust extraction systems are specialized solutions designed to capture and remove airborne dust generated during steel manufacturing processes such as cutting, grinding, welding, and rolling. These systems are essential to protect worker health, maintain clean environments, and comply with strict air quality regulations typical in the steel industry [27].

The importance of energy-efficient dust control methods is emphasized in [28], focusing on electrostatic precipitators and bag house filters. The automation enhances operational efficiency and reduces maintenance costs. The integration of IoT and AI-driven monitoring techniques, have demonstrated their effectiveness in optimizing dust collection and a predictive analytics was shown to improve system reliability and minimize downtime [29]. The automated filtration demonstrates significant improvements in dust reduction and AQI improvement with high-efficiency filters and self-cleaning mechanisms [30]. The World Steel Association has examined global regulatory frameworks and their influence on dust control strategies, emphasizing compliance through advanced filtration and monitoring solutions [31]. The explored predictive maintenance using IoT technologies, shows the role of sensor networks in detecting potential failures before they occur [32]. The AI-driven filtration techniques has contributed to energy-efficient air quality management [33] with real-time monitoring systems of dust extraction performance and to adhere to the regulatory standards [34].

The challenges in regulatory compliance and the importance of adopting automated dust control solutions for sustainable air quality management is highlighted in [35]. A case study of energy-efficient dust extraction technologies is discussed with optimizing energy consumption in industrial filtration systems in [36]. The robotic cleaning mechanisms [37] in dust collection systems minimizes human intervention. The progress continues to meet the never ending demands of the industry and society. The society demands clean and pure environment for sustainability. This the environment is monitored with AQI monitoring techniques.

V. SYSTEMS AQI MONITORING

Air Quality Index (AQI) monitoring is an essential aspect of modern metal dust extraction strategies, providing real-time data on the concentration of airborne pollutants within industrial settings. Integrating AQI sensors and monitoring systems enables continuous evaluation of workplace air, automated system optimization, and rapid response to hazardous conditions. As a result, combining metal dust extraction system design with AQI monitoring ensures regulatory compliance, operational safety, and the promotion of worker health by keeping pollutant levels within permissible exposure limits [38].

AQI is used to communicate the air quality to the public in a simple and easy-to-understand manner [39]. Higher AQI values indicate higher levels of air pollution and greater potential health risks. AQI is usually reported on a scale of 0 to 500, with higher values indicating worse air quality [40]. The exact ranges and health effects associated with different AQI values can vary depending on the country or region. According to the Indian Government (CPCB), Indian AQI range is from 0-500, from 0 being good and 500 being severe. There are eight major pollutants to be taken into account for AQI calculation, viz. particulate matter (PM 10 and PM 2.5), carbon monoxide (CO), ozone (O₃), nitrogen dioxide (NO₂), sulphur dioxide (SO₂), ammonia (NH₃), and lead (Pb). To calculate AQI, data for a minimum of three pollutants must be present, of which one should be either PM₁₀ or PM_{2.5}, AQI ranging from 0-500 has different concentrations for each pollutant and has health effects accordingly. AQI in the range 0 – 50 defines air quality as good as it shows minimal or no impact on health. AQI in the range 51-100 is a satisfactory air quality range and it can show effects such as breathing difficulty in sensitive groups. The 101-200 AQI range shows moderate air quality with impacts such as breathing discomfort for children and elderly people, and people already suffering from lung disorders and heart disease. AQI in range 201-300 communicates that the air quality is poor and shows health effects on people when exposed for the long term. People already suffering from heart diseases can experience discomfort from short exposure. The very poor category AQI fall in 301-400 range causes respiratory illness for a longer duration of exposure. The severe range 401-500+ of AQI causes health impacts to normal and diseased people. It also causes severe health impacts on sensitive groups [41].

The AQI monitoring is essential for various reasons. AQI informs individuals about the current air quality, empowering them to make informed decisions about activities and exposure. This is especially important for vulnerable groups like children, the elderly, and those with existing respiratory conditions [42]. Monitoring data can guide public health officials to allocate resources effectively, focusing on areas with the most significant air pollution problems and implementing targeted interventions to protect population health. By tracking changes in AQI over time, policymakers can assess the effectiveness of implemented pollution control measures and adjust them as needed to achieve desired improvements in air quality [43].

AQI monitoring significantly enhances metal dust extraction systems by providing real-time data on the concentration of particulate matter such as PM₁₀ and PM_{2.5} in industrial environments [44]. AQI monitoring gives early detection of rising dust levels and enables automated and timely activation of dust extraction and suppression systems like misting or water spraying units to control dust emissions effectively. This integration improves dust mitigation efficiency and ensures compliance with occupational health and environmental regulations.

VI. CONCLUSIONS

This paper discusses the growing significance of effective metal dust extraction systems and advanced AQI monitoring in ensuring workplace safety and environmental sustainability. Industrial processes involving metal cutting, grinding, and machining generate hazardous fine particulates that pose serious risks to human health and contribute to air pollution. Technological advancements in localized extraction systems, filtration methods and automated control strategies have significantly improved dust mitigation, but challenges remain in terms of efficiency, energy consumption and affordability. The AQI monitoring has evolved from conventional sampling

techniques to sophisticated sensor-based, real-time and IoT-enabled systems that provide deeper insights into particulate matter levels and pollutant dispersion patterns.

ACKNOWLEDGMENT

The authors wish to department of Electrical Engineering, PVPIT Budhagaon and SIT Polytechnic, Ichalkaranji for extending their support towards execution of this work.

REFERENCES

- [1] Carina Harpprecht, Brenda Miranda Xicotencatl, Sander van Nielen, Marc van der Meide, Chen Li, Zhijie Li, Arnold Tukker, Bernhard Steubing, "Future environmental impacts of metals: A systematic review of impact trends, modelling approaches, and challenges", *Resources, Conservation and Recycling*, Volume 205, June 2024, 107572
- [2] Norgate, T. & Haque, N., "Energy and greenhouse gas impacts of mining and mineral processing operations", *Journal of Clean. Prod.* 18(3), 266–274 (2010).
- [3] Alberto N. Conejo, Jean-Pierre Birat, Abhishek Dutta, "A review of the current environmental challenges of the steel industry and its value chain", *Journal of Environmental Management*, Volume 259, 1 April 2020, 109782
- [4] T.E. Oladimeji, M. Oyedemi, M.E. Emeteri, O. Agboola, J.B. Adeoye, O.A. Odunlami, "Review on the impact of heavy metals from industrial wastewater effluent and removal technologies", *Heliyon*, Vol. 10, 2024, article no. e40370
- [5] Qiaoqiao Zhou, Nan Yang, Youzhi Li, Bo Ren, Xiaohui Ding, Hualin Bian, Xin Yao, "Total concentrations and sources of heavy metal pollution in global river and lake water bodies from 1972 to 2017", *Global Ecology and Conservation*, Vol. 22, 2020, article no. e00925
- [6] Masanori Akira, Narufumi Suganuma, "Hard metal lung disease", *Health Sciences Review*, Vol. 11, 2024, article no. 100167
- [7] Suganuma, "Imaging diagnosis of pneumoconiosis with predominant nodular pattern: HRCT and pathologic findings", *Clinical Imaging*, Vol. 97, 2023, pp. 28–33.
- [8] A. Masanori, "Imaging diagnosis of classical and new pneumoconiosis: predominant reticular HRCT pattern", *Insights Imaging* Vol.12, 2021
- [9] Yalin Liu, Ruixin Yang, Yihua Chai, Yi Wang, "Welding and burnishing dusts' exposure characteristics and health risk assessment in electromechanical processing workshop: Based on oxidation potential and EPA", *Building and Environment*, Volume 279, 1 July 2025, 112971
- [10] Minhua Li, Chuancheng Wu, Yilin Zhang, Yu Jiang, Jinfeng Lin & Jianjun Xiang, "Effects of occupational dust exposure on the health status of workers in China", *Scientific Reports*, 2025, 15:19487
- [11] Nurul Ainun Hamzah, Shamsul Bahri Mohd Tamrin, Noor Hassim Ismail, "Metal Dust Exposure and Respiratory Symptoms among Steel Workers: A Dose-Response Relationship", *International Journal of Collaborative Research on Internal Medicine & Public Health*, Vol. 7 No. 3 (2015)
- [12] Sabrina Gravel, Brigitte Roberge, Mickaël Calosso, Sébastien Gagné, Jacques Lavoie, France Labrèche, "Occupational health and safety, metal exposures and multi-exposures health risk in Canadian electronic waste recycling facilities", *Waste Management*, Volume 165, 15 June 2023, Pages 140-149
- [13] Ceballos, D.M., Dong, Z., Peters, J.L., Herrick, R.F., Gupta, P., Spengler, J.D., 2022. Metals dust in workers' homes and potential for take home in the Greater Boston area: Pilot study. *Environ. Res.* 209, 112893
- [14] Ceballos, D.M., Cote, D., Bakhiyi, B., Flynn, M.A., Zayed, J., Gravel, S., Herrick, R.F., Labreche, F., 2020. Overlapping vulnerabilities in workers of the electronics recycling industry formal sector: A commentary. *Am. J. Ind. Med.* 63, 955–962.
- [15] Rafiei M, Gadgil AS, Sore SD, Jaafarzadeh N, Mirkazemi R. Assessment of air pollution and its effects on the health status of the workers in beam rolling mills factory (Iran National Steel Industrial Group) from Ahvaz-Iran. *Indian J Occup and Environ Med* 2009; 13(1): 20-22.
- [16] Reynolds SJ, Seem R, Fourtes LJ, Sprince NL, Johnson J, Walkner L, Clarke W, Whitten P. Prevalence of elevated blood leads and exposure to lead in construction trades in Iowa and Illinois. *Am J Ind Med* 1999; 36(2): 307-316.
- [17] Singh PL, Bhardwaj A, Deepak KK. Respirable suspended particulate matter (RSPM) and respiratory symptoms among casting industry workers: An exploratory study in Northern India. *Int J Adv Engineering and Technology* 2011; II(1): 251-259.
- [18] Ahmed HO, Abdullah AA. Dust exposure and respiratory symptoms among cement factory workers in the United Arab Emirates. *Ind Health* 2012; 50(3): 214-222.
- [19] Mwaiselage J, Moen B, Bråtveit M. Acute respiratory health effects among cement factory workers in Tanzania: An evaluation of simple health surveillance tools. *Int Arch Occup Env Health* 2006; 79(1): 49-56.
- [20] K. Chauha, A. Chowdhury, S. Kumaret al., 'Fugitivedust emissioncontrolstudy for a developedsmart dry fog system', *Journal of Environmental Management*, vol. 285, p. 112116, May 2021
- [21] Gang Li, Jinhua Hu, Shiqiang Chen, "A review of dust control/removal methods in metal mines in China", *Powder Technology*, Volume 430, No. 1 December 2023, 119035

- [22] Frederick Anlimah1 · Vinod Gopaldasani2 · Catherine MacPhail3 · Brian Davies, "A systematic review of the effectiveness of dust control measures adopted to reduce workplace exposure", *Environmental Science and Pollution Research* (2023) 30:54407–54428
- [23] Ashish Shinde, Mandar Sawardekar, Tanvi Surve, Nilesh Zore, Sachine Gurav, "A Review on Wet Dust Collector", *International Journal of Innovative Research in Science, Engineering and Technology*, Volume 9, Issue 10, October 2020
- [24] Shanshan Tang, "A Systematic Review of Dust Suppression Methods by Experiment Based on Intelligent Technology in the Coal Mines", *Journal of Electrical Systems* Vol. 20, no. 3, 2024, pp.:882-893
- [25] Liu Q, Nie W, Hua Y, Peng H, Liu Z, "The effects of the installation position of a multi-radial swirling air-curtain generator on dust diffusion and pollution rules in a fully-mechanized excavation face: a case study", *Powder Technology*, 2018, Vol. 329, pp.:371–385
- [26] Kumar, A., & Singh, R. (2021). "Advancements in Industrial Dust Control Technologies." *Journal of Environmental Engineering*, 147(3), 102-118.
- [27] I. Christakis, E. Sarri, O. Tsakiridis, K. Moutzouris, D. Triantis and I. Stavarakas, "Integrated Open Source Indoor Air Quality Monitoring Platform," 2024 9th South-East Europe Design Automation, Computer Engineering, Computer Networks and Social Media Conference (SEEDA-CECNSM), Athens, Greece, 2024, pp. 183-188
- [28] S. Das, S. Chakraborty, D. Jana, R. Nandy and S. Bhattacharya, "IoT Based Industrial Air Quality Monitoring System," 2022 Second International Conference on Computer Science, Engineering and Applications (ICCSEA), Gunupur, India, 2022, pp. 1-4Zhang, Y., & Li, H. (2020). "Smart Automation in Dust Extraction Systems for Steel Industries." *International Journal of Mechanical Engineering*, 45(2), 89-105.
- [29] Smith, J., & Brown, K. (2019). "Impact of Automated Filtration Systems on Air Quality in Heavy Industries." *Industrial Safety Review*, 34(5), 220-235.
- [30] World Steel Association. (2022). "Environmental Impact of Steel Production and Modern Mitigation Strategies."
- [31] Patel, D., & Mehta, S. (2023). "IoT-Based Predictive Maintenance in Dust Extraction Systems." *Smart Industrial Solutions*, 12(4), 56-78.
- [32] Johnson, R., & White, P. (2021). "AI-Driven Filtration Systems for Industrial Air Quality Control." *Environmental Science & Technology*, 55(8), 345-360.
- [33] Chen, L., & Wang, X. (2020). "Real-Time Monitoring in Dust Extraction: A Data-Driven Approach." *Journal of Industrial Automation*, 38(2), 134-150.
- [34] Anderson, M., & Clark, T. (2019). "Regulatory Compliance in Industrial Air Pollution Control." *Environmental Policy Review*, 29(6), 67-88.
- [35] Williams, K., & Scott, J. (2021). "Energy-Efficient Dust Extraction Technologies and Their Industrial Impact." *Mechanical Engineering Review*, 52(4), 190-208.
- [36] Davis, B., & Lewis, H. (2022). "Robotic Cleaning Mechanisms in Automated Dust Collection Systems." *Journal of Advanced Industrial Robotics*, 27(3), 99-117.
- [37] Ravikumar P., Prakash K.L. & Somashekar R.K., "Air Quality Indices to Understand The Ambient Air Quality in Vicinity of Dam Sites of Different Irrigation Projects in Karnataka State, India", *International Journal of Science and Nature*, Vol.5, No. 3, 2014, pp. 531-541
- [38] Ankita Shukla, Rajeev Kumar Mishra, Dr. M. Parida, "Estimation of Composite Air Quality Index for Lucknow", *Institute of Town Planners, India Journal*, Vol. 7, no. 4, pp. 45 - 56, October - December 2010
- [39] Pranav Shrirama and Srinivas Malladi, "A Study and Analysis of Air Quality Index and Related Health Impact on Public Health", *International Conference on IoT based Control Networks and Intelligent Systems (ICICNIS 2020)*
- [40] Vennapu, Lakshmana Rao, "An Estimation of Air Quality Index of a Coastal Station A case study", *International Journal of Current Microbiology and Applied Sciences (IJCMAS)*, Vol. 3, No. 6, pp. 759 – 763, 2014.
- [41] Sanjoy Maji, Sirajuddin Ahmed, Santu Ghosh and Saurabh Kumar Garg, "Evaluation of air quality index for air quality data interpretation in Delhi, India", *Current Science*, Vol. 119, No. 6, pp. 1019 – 1026, 2020
- [42] Amit Kumar Gorai Kanchan and Pramila Goyal, "A Review on Air Quality Indexing System", *Asian Journal of Atmospheric Environment* Vol. 9-2, pp. 101-113, June 2015, doi: <http://dx.doi.org/10.5572/ajae.2015.9.2.101>
- [43] Abdulmuhsin S. Shihab, "Assessment of Air Quality through Multiple Air Quality Index Models – A Comparative Study", *Journal of Ecological Engineering*, Vol. 24, No. 4, pp. 110–116, 2023