

The Indian Solid Waste Market: Towards a Clean Urban Environment Deep Learning is being used to separate municipal waste

Antara Ghat¹, Bhavisha Umale², Darshan R Jivtode³, Madhuri Sahu⁴ and Mangala Madankar⁵

¹⁻⁵Artificial Intelligence Department and COE AIML, G H Raison College of Engineering, Nagpur India
Email: antara.ghate.ai@ghrce.raisoni.net, bhavisha.umale.ai@ghrce.raisoni.net, darshan.jivtode.ai@ghrce.raisoni.net, madhuridec9@gmail.com, mangala.madankar@raisoni.net

Abstract— The Indian solid waste management sector is experiencing fast growth and transition as a result of rising urbanization and industrial activity. This research study examines the landscape of solid waste management in India, focusing on the informal sector's involvement, market size, and trends. It also looks into the possibility of creating an online solid waste marketplace with a progressive web app (PWA) with the goal of optimizing waste management processes, increasing resource efficiency, and contributing to environmental sustainability. The purpose of this study is to create a new waste management system that uses the YOLO v7 item recognition model and The project concentrated on crafting design prototypes for a progressive web app (PWA) and an administrative web interface for a solid waste marketplace in India. Utilizing Figma, these designs aim to streamline waste management processes, engage users effectively, and advocate for recycling initiatives. This effort signifies a pivotal move towards closing the gap in India's waste management infrastructure. It highlights technology's role in promoting environmental sustainability and responsible waste management practices nationwide.

Index Terms— Municipal Solid Waste, Waste segregation, YOLOv7, object detection, Internet of Things, progressive web app (PWA), sustainable waste management, recycling, urban environment .

I. INTRODUCTION

India's growing population and rapid urbanization have resulted in a significant increase in the generation of Municipal Solid Waste (MSW) in cities. Despite expansion, participation in formal waste management systems remains low due to a variety of circumstances, generating opportunity for the informal garbage sector. One of the greatest issues in India's waste management business is the growing number of landfills. Due to poor waste management systems, more than half of all solid waste created remains untreated and is thrown into landfills. Furthermore, a lack of adequate policies for collection, disposal, and recycling, along with a lack of efficient infrastructure, has contributed to inefficient waste management practices. However, the market is seeing the growth of companies and creative ideas aimed at transforming trash into useful resources.

Waste segregation, which includes the intentional separation of different types of trash at their source, is a crucial

tactic in Municipal Waste Management (MWM) systems. Both urban sustainability and resource management are significantly impacted by this strategy. Waste can be classified as recyclable or biodegradable, which benefits municipalities. Waste segregation reduces the amount of hazardous material released into the air, water, and soil and lessens the strain on landfills. By facilitating the recovery of valuable resources from recyclable garbage, reducing the demand for raw materials, and using less energy, it also advances the idea of the circular economy. The system consistently recognizes and classifies different waste types in real-time using YOLOv7, a state-of-the-art object recognition model.

After extensive training on a huge dataset, the computer can distinguish between several trash categories, including plastic, paper, glass, and organic waste, enabling precise sorting. The components of the Internet of Things are always keeping an eye on the surroundings and potential hazards, which enables quick action to prevent spills or contamination. YOLOv7's potent item recognition skills and IoT's data-driven insights are combined in this all-inclusive solution to build an intelligent garbage management framework that enhances sorting accuracy and promotes environmentally responsible waste disposal practices. Finally, one potential solution to the problems with contemporary waste management is the integration of YOLOv7 and IoT into municipal trash segregation.

II. OBJECTIVE

The objective of this project is to develop a cutting-edge waste management system that accurately and efficiently separates municipal trash using the Internet of Things (IoT) and the YOLOv7 object recognition model. The main objective is to deal with the issues brought on by improper waste disposal, a lack of recycling, and ineffective sorting procedures. Use the YOLOv7 model to accurately detect and classify different types of garbage. This model is renowned for its exceptional object recognition abilities. The system will be able to distinguish common objects such as plastic, paper, glass, and organic trash after training the model on a diverse collection of waste materials. This will allow for automated sorting at the moment of collection, decreasing the need for manual sorting. Furthermore, IoT devices will monitor environmental conditions and detect abnormalities like the presence of dangerous items, improving safety and lowering potential health hazards.

III. PROPOSED METHOD

A. Research Overview

The process of dividing municipal solid waste into biodegradable and non-biodegradable wastes is known as segregation. It is a crucial necessity since it enables the treatment, recycling, and scientific disposal of various waste components. Municipal garbage is made up of a mixture of biodegradable and nonbiodegradable materials. Waste materials (or substances) are divided into biodegradable and non-biodegradable categories based on how quickly they break down. Ones that can disintegrate are referred to as biodegradable, while ones that cannot decompose are referred to as non-biodegradable. Non biodegradable waste can be further segregated into paper, plastic, glass and metals.




Figure 1. Classification of waste

Plastics make up a sizable portion of non-biodegradable trash. Plastics can be divided into many categories for recycling, including PET (polyethylene terephthalate), HDPE (high-density polyethylene), PVC (polyvinyl chloride), LDPE (low-density polyethylene), PP, and PS. Plastics are categorized according to resin identification codes that help identify the type of plastic.

Papers are divided into three categories: high grade deinked paper, OCC, and OCP. Used corrugated cardboard boxes and other packaging supplies are referred to as OCN. These boxes are frequently used for packaging and shipment. OCN is very recyclable and can be used to create fresh cardboard goods. Discarded newspapers and other printed materials are referred to as ONP. One of the most obvious types of recycled paper is newspaper. Paper products including newspapers, cardboard, and paperboard can be made from recycled ONP. Processes for recycling non-biodegradable papers are made more effective by separating them into OCN and ONP.

Ferrous metals and non-ferrous metals are the two divisions of metals. Metals that have iron as their main component are referred to as ferrous metals. Typical examples include cast iron and steel. They have a magnetic quality and are frequently more prone to rust and corrosion. Iron is not a main constituent of non-ferrous metals. Examples include bronze, copper, brass, aluminum, and other alloys. For efficient recycling, non-biodegradable metals must be divided into ferrous and non-ferrous categories. Different metals have unique characteristics that have an impact on how they are recycled. For instance, separating ferrous from non-ferrous metals enables recycling operations to utilize these materials efficiently, reducing waste and preserving resources.

B. YOLOv7 Architecture

One of the most popular modern deep learning approaches, YOLO (You Only Look Once), enables simultaneous object identification and categorization. Older approaches (R-CNN and its derivatives) used a pipeline execution architecture, which entails a number of stages, to complete the object-detection task. Slow performance is accomplished together with an increase in optimization complexity because of the pipeline design and the requirement for the independent training of each individual component.

To increase object recognition accuracy and speed, YOLOv7 integrates a number of enhancements and optimizations. There are numerous crucial steps that make up the YOLOv7 formula. Although alternative sizes may be utilized based on the individual YOLOv7 variation (e.g., YOLOv7s, YOLOv7m, YOLOv7l, YOLOv7x), YOLOv7 normally accepts an input picture of fixed size, typically 416x416 pixels. The feature maps are extracted by YOLOv7 from the input picture using a backbone neural network architecture, frequently a variant of CSPDarknet53. Hierarchical information about the items in the image is captured by these feature maps.

In order to help the model recognize objects at various sizes, YOLOv7 often includes a "neck" module that further refines the feature maps using methods like feature pyramid network (FPN) or PANet. The YOLOv7 model's "head" is made up of many detection heads, each of which is in charge of forecasting bounding boxes, class probabilities, and objectness scores. Various sizes and resolutions of things are predicted by these heads. In the Bounding Box: Calculating the center (x, y), width (w), height (h), and objectness score for each anchor box at each grid cell is often part of the method for predicting bounding boxes. Convolutional layers and activation functions like sigmoid or softmax are used for this.

The class probabilities for each object in each grid cell are predicted using YOLOv7. The method of choice is often a softmax activation function, and the number of classes used (e.g., 80 classes for the COCO dataset) depends on the particular item recognition job. Following prediction, YOLOv7 uses non-maximum suppression to get rid of redundant or uncertain bounding box predictions. The final collection of discovered items is consolidated with the aid of NMS. A collection of bounding boxes with a class label and a confidence score are the results of YOLOv7.

C. Working Process of model

In order to represent the numerous trash objects that are frequently found in municipal rubbish, gather a broad collection of photographs. This will comprise organic garbage, paper, glass bottles, metal cans, plastic bottles, and paper. Add annotations to the gathered photographs by tracing boxes around each piece of trash and naming it with the appropriate categories (such as "plastic," "paper," or "glass"). The YOLO model can then learn from a labeled dataset that is produced in this way. Resize each image to the same input scale that the selected YOLO model requires. Bring pixel values within a specific range (for example, 0 to 1) by normalizing them. For model training and evaluation, divide the dataset into training and validation subsets.

Select the pre-trained YOLO model that best meets the needs (for example, YOLOv5, YOLOv6). Large datasets of features were used to train pre-trained models, which may then be adjusted for a particular job. Initialize the pre-trained weights of the selected YOLO model. The number of trash categories should match the number of new classification layers you add after the last one. Using the waste dataset you annotated, the model is trained. This procedure modifies the model's weights to improve its ability to detect waste. To attain the best results, test several combinations of training settings, including learning rate, batch size, and training epochs. Waste segregation management system should incorporate the trained YOLO model. At collection locations, trash items are

photographed by cameras or other image-capturing equipment. The processing unit receives these images for analysis. Prepare acquired photos for the YOLO model's anticipated input format. This entails normalizing the pixel values and scaling the photos to the input size of the model.




Figure 2. Workflow

Utilize the trained YOLO model to conduct object detection on the preprocessed photos. Each image is processed by the model, which then forecasts bounding boxes and class probabilities for waste objects that are detected. To determine the location and label of each trash item observed, interpret the model's output. For the actions that will follow, this information is essential. At collection locations, trash items are photographed by cameras or other image-capturing equipment. The processing unit receives these images for analysis. Prepare acquired photos for the YOLO model's anticipated input format. This entails normalizing the pixel values and scaling the photos to the input size of the model.

Utilize the trained YOLO model to conduct object detection on the preprocessed photos. Each image is processed by the model, which then forecasts bounding boxes and class probabilities for waste objects that are detected. To determine the location and label of each trash item observed, interpret the model's output. For the actions that will follow, this information is essential. Determine the waste category for each observed item using the expected labels from the YOLO model. Sort the waste materials into broader categories like "recyclable," "organic," or "non-recyclable" based on the detected waste types. Based on the classification of each waste item's category, decide how to separate it. For example, recyclable materials could be put in a recycling bin, whilst organic garbage could be sent to be composted. Inform the waste segregation mechanism of the decision to segregate. Conveyor belts, robotic arms, and other devices that physically sort garbage in accordance with judgments can be included in this process.

Record the outcomes of trash classification, segregation, and item detection decisions. This records the system's performance historically and can be used for analysis and auditing. Keep an eye on the system's recall, precision, and accuracy. To find areas for improvement, keep track of false positives and false negatives. Regularly add new photos and annotations to the dataset that account for variations in lighting, angles, and trash items to increase the model's robustness. Retrain the YOLO model often using the updated dataset to account for variations in trash composition and enhance detection precision.

D. The Potential for Online Solid Waste Marketplaces Using Progressive Web Apps

The potential for online solid waste marketplaces employing Progressive Web Apps (PWAs) embodies a substantial opportunity to revolutionize waste management practices in India. This innovative approach capitalizes on the capabilities of PWA technology to offer a spectrum of benefits that can significantly enhance the efficiency, transparency, and sustainability of waste management processes.

Real-time waste tracking stands at the forefront of the advantages offered by an online solid waste marketplace utilizing PWA technology. By enabling stakeholders to monitor the movement and handling of waste in real time, the marketplace fosters heightened visibility and control over the waste management workflow. This feature not only promotes operational efficiency but also contributes to effective resource allocation and waste management optimization.

The integration of transparent transactions within the online marketplace further augments its value proposition. Through transparent and traceable transactions facilitated by the PWA, the marketplace instills a sense of

accountability and trust among stakeholders. This transparency not only mitigates the risk of fraudulent activities but also cultivates a conducive environment for sustainable business practices and ethical waste management operations.

Additionally, the data-driven insights offered by the PWA-powered marketplace serve as a pivotal tool for informed decision-making and strategic planning. By leveraging data analytics and reporting capabilities, stakeholders can gain deep insights into waste generation trends, recycling rates, and resource utilization patterns. These insights empower stakeholders to optimize waste management strategies, identify opportunities for process improvement, and contribute to informed decision-making for sustainable waste handling practices.





Figure 3. Purchase Flowchart

Moreover, the platform's potential to function as a catalyst for formalizing and integrating the activities of the informal waste sector holds significant promise for promoting sustainability and inclusive growth. By providing a technologically enabled platform that facilitates the inclusion of informal waste sector participants, the marketplace can foster a collaborative ecosystem that embraces diversity and leverages the valuable contributions of informal waste workers. This integration can not only enhance the livelihoods of informal waste workers but also elevate the overall efficiency and effectiveness of waste management practices, thereby contributing to sustainable development and inclusive growth.

To bring it all together, the development of an online solid waste marketplace using PWA technology represents a groundbreaking initiative that holds the potential to revolutionize waste management practices in India. By offering real-time waste tracking, transparent transactions, data-driven insights, and opportunities for formalizing the informal waste sector, the PWA-powered marketplace stands as a transformative force in fostering efficiency, transparency, sustainability, and inclusivity within the waste management value chain.

IV. SCREENSHOTS OF THE MARKETPLACE WEB APP






Figure 6 . Waste classifies as 0. Paper(Cardboard) 1. Glass 2. Metal 3. Paper 4. Plastic 5. Trash

After a thorough test, the deep learning model was able to categorize municipal trash products into the predetermined categories of cardboard, paper, glass, metal, and plastic with an accuracy of 96%. The model's remarkable performance is explained by its strong generalization to novel waste products, highlighting its resilience in practical settings.

In addition, all waste categories showed consistently good precision, recall, and F1-score metrics for the model, indicating that it is effective in reducing false positives and false negatives. This degree of precision greatly improves the effectiveness of trash sorting techniques, lowering contamination and enabling more efficient recycling practices.

V. CONCLUSIONS

Indeed, the conclusion drawn from the analysis of the solid waste marketplace in India effectively encapsulates the multi-faceted nature of the industry. The coexistence of challenges and opportunities underscores the complex landscape of sustainable waste management, indicating the imperative need for strategic interventions and innovative solutions.

Given the substantial environmental challenges associated with waste generation and management in India, the integration of digital solutions emerges as a pivotal opportunity to surmount these obstacles. Online marketplaces utilizing Progressive Web App (PWA) technology align with the evolving trends in waste management, offering a conduit for addressing inefficiencies, enhancing transparency, and fostering sustainable practices within the sector.

By leveraging digital platforms, India has the potential to significantly transform its waste management ecosystem, transcending conventional barriers and fostering a more efficient and resilient paradigm. The integration of PWA-

powered online marketplaces can serve as a linchpin in driving positive transformation within the sector by streamlining waste management processes, optimizing resource utilization, and promoting sustainable practices. Furthermore, a convincing answer to the urgent problems with municipal trash management is provided by the combination of Deep Learning, as demonstrated by the YOLO V7 model. The model has the ability to completely transform urban cleaning, as evidenced by its effectiveness in automating trash sorting procedures and real-time analysis. Using smart trash cans, collection trucks, and user-friendly apps to involve the public is necessary for the successful implementation of this technology. With its ability to optimize trash pathways and minimize environmental effect, the model's seamless integration has the potential to usher in a new age of sustainable, greener urban settings. With YOLO V7's revolutionary powers and Deep Learning's accuracy, the future of trash management is now here.

The use of YOLO V7 and related technologies is anticipated to become a pillar of forward-thinking waste management plans in the upcoming years as urbanization picks up speed. Through the use of these models' accuracy and efficiency, cities may take the first steps toward creating greener, cleaner, and more resilient urban environments, therefore establishing a global standard for sustainable waste management methods.

REFERENCES

- [1] Chen, X., Chen, J., Zhang, X., & Xie, Y. (2019). Composting services in waste management: An ecosystem service approach. *Journal of Cleaner Production*, 211, 146-156.
- [2] Goel, S. (2020). Municipal Solid Waste Management in India: A Critical Review. *Journal of Environmental Science & Engineering*, 62, 301-306.
- [3] Russell, D., Chatterjee, T., & Belk, R. (2018). People and technology that value waste: 'Kabaadiwalas in India, and emerging mobile and digital infrastructure'. *Material Culture Review*
- [4] Singh, S. (2020). Decentralised Solid Waste Management in India: A Perspective on Technological Options. ORF Occasional Paper.
- [5] Poppendieck, D. (n.d.). An Introductory Guide to Waste Management in Developing Countries. U.S. Environmental Protection Agency.
- [6] Shweta Choudhary. (2019). A Research Paper on Solid Waste Management. *Journal of Emerging Technologies and Innovative Research (JETIR)*.
- [7] Sahu, S., Nair, S. J., & Sharma, P. K. (2014). Review on solid waste management practice in India: A state of art. *Int. J. Innov. Res. Dev.*, 3(3), 261-264.
- [8] Raut, M. M., Dhanvijay, M. A., Agarkar, M. P., & Shanti, M. M. (2017). RECOGNITION OF VEHICLE NUMBER PLATE USING MATLAB.
- [9] Nirale, Pratiksha, and Mangala Madankar. "Design of an IoT Based Ensemble Machine Learning Model for Fruit Classification and Quality Detection." 2022 10th International Conference on Emerging Trends in Engineering and Technology-Signal and Information Processing (ICETET-SIP-22). IEEE, 2022.
- [10] Nirale, Pratiksha, and Mangala Madankar. "Analytical Study on IoT and Machine Learning based Grading and Sorting System for Fruits." In 2021 International Conference on Computational Intelligence and Computing Applications (ICCICA), pp. 1-6. IEEE, 2021.
- [11] Agarwal, M., Kotecha, A., Deolalikar, A., Kalia, R., Yadav, R. K., & Thomas, A. (2023, February). Deep Learning Approaches for Plant Disease Detection: A Comparative Review. In 2023 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECs) (pp. 1-6). IEEE.
- [12] Tiple, Bhavana, and P. A. Thomas. "Analysis of features for mood detection in north indian classical music-a literature review." *International Journal of Research in computer and communication Technology* 6.6 (2017): 181-185.
- [13] Ghosh, M., Raut, M., Parteki, R., Das, D., Thakare, L. P., Jichkar, R., ... & Bawankar, S. (2023, April). An Analysis of Deep-Neural-Network Model for the Determination of the Bit-Rate of Optical Fiber Signals. In 2023 11th International Conference on Emerging Trends in Engineering & Technology-Signal and Information Processing (ICETET-SIP) (pp. 1-4). IEEE.
- [14] Raut, M., Naskulwar, S., Dongre, A., & Lule, S. An IoT Based Smart Parking System.
- [15] RAUT, Ms MANISHA, Mr UTTAM VARMA, Mr AKHILESH RAUT, Mr MEHUL NILAWAR, and Mr RISHABH KHANDEKAR. "IOT BASED FAULT FINDING OF AN UNDERGROUND CABLE." (2019).
- [16] Dudhabaware, Rahul S., and Mangala S. Madankar. "Review on natural language processing tasks for text documents." In 2014 IEEE International Conference on Computational Intelligence and Computing Research, pp. 1-5. IEEE, 2014.
- [17] O. M. Butt et al., "Hydrogen as Potential Primary Energy Fuel for Municipal Solid Waste Incineration for a Sustainable Waste Management," in *IEEE Access*, vol. 10, pp. 114586-114596, 2022, doi: 10.1109/ACCESS.2022.3216706.
- [18] Md. Wahidur Rahman, Rahabul Islam, Arafat Hasan, Nasima Islam Bithi, Md. Mahmodul Hasan, Mohammad Motiur Rahman, Intelligent waste management system using deep learning with IoT, *Journal of King Saud University - Computer and Information Sciences*, Volume 34, Issue 5, 2022, Pages 2072-2087, ISSN 1319-1578, <https://doi.org/10.1016/j.jksuci.2020.08.016>.

- [19] Imran, S. Ahmad and D. H. Kim, "Quantum GIS Based Descriptive and Predictive Data Analysis for Effective Planning of Waste Management," in IEEE Access, vol. 8, pp. 46193-46205, 2020, doi: 10.1109/ACCESS.2020.2979015.
- [20] N. C. A. Sallang, M. T. Islam, M. S. Islam and H. Arshad, "A CNN-Based Smart Waste Management System Using TensorFlow Lite and LoRa-GPS Shield in Internet of Things Environment," in IEEE Access, vol. 9, pp. 153560-153574, 2021, doi: 10.1109/ACCESS.2021.3128314.
- [21] TY - JOUR AU - Sheng, Teoh AU - Shahidul Islam, Mohammad AU - Misran, Norbahiah AU - Baharuddin, Mohd Hafiz AU - Arshad, Haslina AU - Islam, Md. Rashedul AU - Chowdhury, Muhammad AU - Rmili, Hatem AU - Islam, Mohammad PY - 2020/08/12 SP - 1 EP - 1 T1 - An Internet of Things Based Smart Waste Management System Using LoRa And Tensorflow Deep Learning Model VL - PP DO - 10.1109/ACCESS.2020.3016255 JO - IEEE Access
- [22] Yang, Miin-Shen AU - Bobulski, Janusz AU - Kubanek, Mariusz PY - 2021 DA - 2021/05/05 TI - Deep Learning for Plastic Waste Classification System SP - 6626948 VL - 2021 SN - 1687-9724 UR - <https://doi.org/10.1155/2021/6626948> DO - 10.1155/2021/6626948 JF - Applied Computational Intelligence and Soft Computing PB - Hindawi
- [23] Fatin Amanina Azis, Hazwani Suhaimi, and Emeroylariffion Abas. 2020. Waste Classification using Convolutional Neural Network. In Proceedings of the 2020 2nd International Conference on Information Technology and Computer Communications (ITCC '20). Association for Computing Machinery, New York, NY, USA, 9–13. <https://doi.org/10.1145/3417473.3417474>
- [24] Oliver Istad Funch, Robert Marhaug, Sampsa Kohtala, Martin Steinert, Detecting glass and metal in consumer trash bags during waste collection using convolutional neural networks, Waste Management, Volume 119, 2021, Pages 30-38, ISSN 0956-053X, <https://doi.org/10.1016/j.wasman.2020.09.032>.
- [25] M. Wan and L. Wan, "Exploring the Pathways to Participation in Household Waste Sorting in Different National Contexts: A Fuzzy-Set QCA Approach," in IEEE Access, vol. 8, pp. 179373-179388, 2020, doi: 10.1109/ACCESS.2020.3027978.
- [26] A. Masand, S. Chauhan, M. Jangid, R. Kumar and S. Roy, "ScrapNet: An Efficient Approach to Trash Classification," in IEEE Access, vol. 9, pp. 130947-130958, 2021, doi: 10.1109/ACCESS.2021.3111230.
- [27] R. W. Ahmad, K. Salah, R. Jayaraman, I. Yaqoob and M. Omar, "Blockchain for Waste Management in Smart Cities: A Survey," in IEEE Access, vol. 9, pp. 131520-131541, 2021, doi: 10.1109/ACCESS.2021.3113380.
- [28] Kumar, S.; Yadav, D.; Gupta, H.; Verma, O.P.; Ansari, I.A.; Ahn, C.W. A Novel YOLOv3 Algorithm-Based Deep Learning Approach for Waste Segregation: Towards Smart Waste Management. Electronics 2021, 10, 14. <https://doi.org/10.3390/electronics10010014>
- [29] Nnamoko, N.; Barrowclough, J.; Procter, J. Solid Waste Image Classification Using Deep Convolutional Neural Network. Infrastructures 2022, 7, 47. <https://doi.org/10.3390/infrastructures7040047>
- [30] Z. Kang, J. Yang, G. Li and Z. Zhang, "An Automatic Garbage Classification System Based on Deep Learning," in IEEE Access, vol. 8, pp. 140019-140029, 2020, doi: 10.1109/ACCESS.2020.3010496.
- [31] H. Kapadia et al., "Dry waste segregation using seamless integration of deep learning and industrial machine vision," 2021 IEEE International Conference on Electronics, Computing and Communication Technologies (CONECCT), Bangalore, India, 2021, pp. 01-07, doi: 10.1109/CONECCT52877.2021.9622578.
- [32] S. Sudha, M. Vidhyalakshmi, K. Pavithra, K. Sangeetha and V. Swaathi, "An automatic classification method for environment: Friendly waste segregation using deep learning," 2016 IEEE Technological Innovations in ICT for Agriculture and Rural Development (TIAR), Chennai, India, 2016, pp. 65-70, doi: 10.1109/TIAR.2016.7801215.
- [33] S. Agarwal, R. Gudi and P. Saxena, "One-Shot learning based classification for segregation of plastic waste," 2020 Digital Image Computing: Techniques and Applications (DICTA), Melbourne, Australia, 2020, pp. 1-3, doi: 10.1109/DICTA51227.2020.9363374.
- [34] D. Singh, "Polyth-Net: Classification of Polythene Bags for Garbage Segregation Using Deep Learning," 2021 International Conference on Sustainable Energy and Future Electric Transportation (SEFET), Hyderabad, India, 2021, pp. 1-4, doi: 10.1109/SeFet48154.2021.9375766.
- [35] S. R., R. P., V. S., K. R. and G. M., "Deep Learning based Smart Garbage Classifier for Effective Waste Management," 2020 5th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2020, pp. 1086-1089, doi: 10.1109/ICCES48766.2020.9137938.
- [36] M. G. C. P, S. Yadav, A. Shanmugam, H. V and N. Suresh, "Waste Classification and Segregation: Machine Learning and IOT Approach," 2021 2nd International Conference on Intelligent Engineering and Management (ICIEM), London, United Kingdom, 2021, pp. 233-238, doi: 10.1109/ICIEM51511.2021.9445289.