

A Review based on Overview of Complex Event Processing (CEP) in Various Applications Utilizing Various Tools

Mayur Panpaliya¹, Nihar Ranjan² and Arun Algude³

^{1,3}Department of Computer Engineering, JSPM's Rajarshi Shahu College of Engineering
Tathawade, Pune, Maharashtra, India
Email: mjpanpaliya@gmail.com

²Department of Information Technology, JSPM's Rajarshi Shahu College of Engineering
Tathawade, Pune, Maharashtra, India
Email: nihar.pune@gmail.com

Abstract—In the new years, there is a monstrous flood of progressive information attributable to the developing amount of dispersed use of programming tools that consistently creates a huge quantity of information streams. The notable innovation is known as Complex Event Processing (CEP) which can manage enormous measures of information from different sources relying upon the consistency of information to produce a precise outcome to deal with dynamic information continuously. Subsequently, understanding existing CEP techniques and instruments is trying to create a vigorous and compelling CEP framework. Here, in this review paper, we have considered nearly 25-50 research papers related to CEP systems. According to existing research papers, some of the limitations were found by using the CEP engine and tools. To overcome that, we have explained new leading tools compared with existing tools.

Index Terms— Complex event processing (CEP), hybrid parallelization, machine learning.

I. INTRODUCTION

Some enormous scope figuring frameworks are occasion driven. Parts of an occasion-driven registering framework speak with one another and their enveloping climate through occasions [1]. Accordingly, an occasion is delivered for each state change in an occasion-driven framework. In the present profoundly specialized and interconnected world, there is an enormous volume of information as nonstop streams coming from different programming and equipment assets [2]. Inferable from the huge measure of deals and various new advancements for data handling [3] it has now turned into a genuine test to give ongoing occasion-driven frameworks that can cycle information at high info information rates in a robotized and methodical methodology. Various potential applications need to [4] distinguish the significant occasions from the nonstop information expeditiously. In like that, the CEP part recognizes huge occasions and examples of numerous information sources, breaks down their effect, and creates ongoing alarms [5]. Model applications working with constant information streams remember applications for natural and frameworks observing, elegant communities, continuous business examination, stock exchanging, online extortion discovery, web-scale information investigation, monetary exchanging, and virtual entertainment examination [6]. In the business area, bookkeeping, warehousing, stock exchange applications,

and coordinated factors are additionally considered within the steadily developing areas of utilization. Numerous CEP apps are time-basic, seeking the discovery of all fascinating occasions at the earliest opportunity. For instance, assaults should be identified progressively, and forcing imperatives on the greatest permitted inactivity for identifying an assault is frequently wanted [7, 8]. Huge difficulties have arisen with expanding quantities of arrangements of CEP in different spaces [9]. From one perspective, the number of occasion types and the paces of in-formation occasions have expanded radically [10].

II. RELATED WORKS

Ref.no: [11] Description: Helal, I.M et al., [2022] have presented a cycle mining approach that corresponds to unlabeled occasions got on a stream. Several beginner exercises are provided, and our methodology corresponds unidentified occasions to a case identifier. That suggests a solitary uncorrelated occasion can be relegated to anything or more case identities with a different probability. That is, the client can provide area information as imperatives that lessen the connection space. During the application, this data may be submitted. We understand our methodology utilizing CEP advancements. The trial assessment shows that our methodology outflanks the throughput and inactivity of the standard methodologies.

Ref.no: [12]. Description: Khazael, B et al., [2023] proposed the Geo-Tesla language, which enables shrewd city applications to describe spatial qualities in intricate occasion specifications and thinking guidelines. Then, at that point, we developed the GeoT-Rex CEP motor, which cycles spatial data and assembles Geo-Tesla language to carry out geospatial operations. Applications can manage complex events with spatial properties thanks to the cooperation of Geo-Tesla and GeoT-Rex, and they can also identify the boundaries of the distinct complex event. (occasion impression). The assessment findings from the evidence of idea execution demonstrate that our suggested beats in distinguishing the impression of complicated occasions up to 44% in the biggest organization size.

Ref.no: [13].Description: Semlali, B.E.B, et al., [2021] have exhibited a product design that effectively joins CEP with remote detecting information from different sensors on the satellites to screen NRT's air quality is helping the chiefs. By isolating and managing satellite data in NRT, we illustrate the proposed arrangement by calculating the air quality values for a few regions in Morocco and Spain. This concentrate likewise approves the quality of the air estimated via satellite sensor data and ground stations.

Ref.no: [14]. Description: Boubeta-Puig, J et al., [2021] tended to the exploration difficulties of incorporating blockchain with CEP. All the more explicitly, we imagine a successful advancement climate wherein (I) occasion-driven brilliant agreements are displayed in a graphical manner, which is, thusly, (ii) naturally changed into reciprocal code which is conveyed in both a blockchain organization and, a CEP motor and afterward (iii) executed regards to off-chain CEP applications which, associated with various information sources and sinks, consequently conjure appeal to contracts when occasion design conditions are met. The outcomes show the way that our methodology can be used without being necessary specialists on occasion handling smart agreement dialects.

Ref.no: [15]. Description: Roig Vilamala, M et al., [2022] have made sense of the present DeepProbCEP, CEP method planned to utilize four goals: (I) permitting the utilization of subsymbolic information as info, (ii) holding adaptability and particularity in the meaning of complicated occasion rules, (iii) restricting the expense of acquiring preparing information and (iv) having powerfully opposed to antagonistic circumstances. Deep ProbCEP files this by utilizing a neuro-emblematic methodology, which consolidates the brain and representative ways to deal with permit preparation with meager information. At last, Deep ProbCEP's adaptability is shown by showing handling the two pictures and sound as input can be utilized.

Ref.no: [16]. Description: Roig Vilamala, M et al., [2022] have made sense of the present DeepProbCEP, CEP method planned to utilize four goals: (I) permitting the utilization of subsymbolic information as info, (ii) holding adaptability and particularity in the meaning of complicated occasion rules, (iii) restricting the expense of acquiring preparing information and (iv) having powerfully opposed to antagonistic circumstances. Deep ProbCEP files this by utilizing a neuro-emblematic methodology, which consolidates the brain and representative ways to deal with permit preparation with meager information. At last, Deep ProbCEP's adaptability is shown by showing handling the two pictures and sound as input can be utilized.

A. Survey Analyzed on Various CEP Engines over CEP

TABLE I. SURVEY ANALYSED ON VARIOUS CEP ENGINES OVER CEP

S.No	Title	Uses	Principle	Limitations
17	Runtime verification of Internet of Things systems using complex event processing [5]	Internet of Things (IoT)	To identify disappointments at runtime by taking advantage of intricate occasion designs characterized through foreordained occasion polynomial math.	Undetected blunders are missed because of organization parcel problems.
18	Cognitive Robot Design Utilizing Complex Event Processing and Procedural Parameters [6]	Robots	To work on expressiveness and the power of information-handling frameworks in robots.	profoundly centered around sensor information handling, depends on existing modules for performing invitation.
19	Complex Event Processing for City Officers: A Pipe Visual and Filter Approach	Information handling pipelines in savvy Urban communities.	A board to let city laborers ready to precisely configure, make, test and carry out their own arrangement of information box handling pipelines.	city officials require area explicit information.
20	Knowledge-infused and reliable Complex Event Processing using persistent and real-time streams	Internet of Things (IoT) and Cyber-Physical Systems (CPS)	Available examination over information stream and helps skillet the speed (constant) and volume (persistent) dimensions.	Didn't think about unsure occasions.
21	Real-time vehicle speed violation detection using simulation employing complex event processing	Traffic environments	Alert the approaching vehicles that are exceeding the speed restriction.	Didn't think about vehicular multimodality, rail route line traffic, transport choices, the person on foot intersections and barricade events.
22	complex event processing-based multi-stage monitoring of anomalous circumstances	monitoring workspace	It processes a high regular information stream, following creation cycle to recognize creation.	The vulnerability has not been viewed as in state change model.
23	Complex event processing across unstable RFID data streams.	RFID	To execute CEP straight over inconsistent RFID occasion streams by integrating purging necessities into complex occasion particulars	Not tested over some industry situation and informational collections.
24	Model4CEP	General	Circumstances located in an easy-to-use and natural way for a specific space. Moves made to advise intrigued clients by long-range informal communication administrations or email.	Not ready to show vulnerability on occasion.
25	Ingenious M2M	automatic	The approaching KPI rules are	No graphical description for the

		machine-to-machine interaction	dissected by the occasion handling rules to recognize an occasion design that outcomes in a 'Working Occasion'.	CEP area, Graphical definition of occasion design, No vulnerability upholds, Components addressed as graphical hubs.
--	--	--------------------------------	---	--

III RESEARCH BASED ON ANALYSIS OF EXISTING CEP WITH VARIOUS TECHNIQUES

TABLE II. LIST OF EXISTING CEP WITH VARIOUS TECHNIQUES

S. No	Proposed	Technique	Result
26	A data driven execution perspective that loosens up the states of complicated taking care of events and directions the perspective with a significant data system that streams time series data.	The Autoregressive-Moving Average (ARMA).	A high throughput, a performing multiple tasks cycle is carried out by means of this information-driven paradigm and equally; and a measured plan technique upholds improvement of information crunching and displaying in QF.
27	The significance of explicit event stream, successive event stream, and causal event stream.	Data Generation Algorithm	The outcomes showed that the speed of the information age is quick enough, and the testing of mind-boggling occasion handling motor is successful.
28	A standard-based complex occasion handling stage that cycles rules for handling sensor information stream distinctively relying upon the sides, rear, and front of the maritime craft.	Question ordering, CEP list, and Rete calculation.	Continuous Complex Event (CCE) Processing stage provide good outcome.
29	CEPSim, a test system for SP and CEP frameworks in cloud conditions. CEPSim suggests an investigation model in light of Coordinated Non-cyclic Charts (DAGs) and presents a reproduction calculation in view of a clever deliberation called occasion sets.	Windowed operator simulation algorithm	Exploratory outcomes demonstrate the way that CEPSim can mimic existing frameworks in huge Enormous Information situations with exactness and accuracy.
30	CEP along with Using semantic web reasoners, customers may receive just the most important and relevant information by having the human-produced data dissected.	Variable Sharing Property, semantic equality and normal language handling.	The outcomes can be given to CEP for additional semantic thinking and to create processed data for clients.
31	At IIIT Allahabad in India, a model for ongoing CEP and research has been put out for savvy working.	Machine learning	The review incorporates sending of different actuators and sensors for social elegant building information. The Raspberry Pi board is used to collect data from sensors and transmit the gathered information to the cloud for investigation.
32	The Semantic Complex Event Processing (SCEP) administrators of another query language called	Semantic Web	Exploratory evaluation of its display demonstrating that it utilizes more advanced nearby technologies.

	SPAseq, which may be evaluated over RDF diagram-based events, extend SPARQL.		
33	A precautionary assessment, contrasting a few pattern language models previously utilized by scientists for occasion order.	Multiple Regression Analysis	Directed NLP procedures influence the precision of 88.5%. We found that all relapse models had something like one variable beneath the 0.05 limit of the $f - test$, consequently no less than one genuinely critical autonomous variable.

IV. REVIEW ANALYSIS

This part demonstrates the outcome of analyzed papers for CEP in various applications using various tools and engines. Research papers related to overview of CEP and nowadays CEP tools.

Below figures explain the CEP with various techniques and algorithms.




Figure 2: Accuracy for various CEP tools

In the fig 2 explains the accuracy chart compared with various CEP tools. By using, various tools we have obtained better performance and accuracy. Here, various authors explained their accuracy analysis with their respective tools used.




Figure 3: Throughput vs. window size

In the fig 3 explains the throughput analysis for CEP with various window size 5 sec, 60 sec for various algorithms. We have achieved high throughput values because high throughput values only gives better performance. Various authors explained their respective throughput values.

VI. CONCLUSIONS

CEP is the most promising tool for extraction useful events from the raw data sources. By attaining that we have to use various CEP tool and engines and various techniques. This review paper explained various researchers

developed various tools to attain the good performance. Also, some of the existing analyzed techniques and tools of CEP explained. The accuracy and throughput also analyzed by using various techniques.

REFERENCES

- [1] Fardbastani, M.A. and Sharifi, M., 2019. Scalable complex event processing using adaptive load balancing. *Journal of Systems and Software*, 149, pp.305-317.
- [2] Mehdiyev, N., Krumeich, J., Enke, D., Werth, D. and Loos, P., 2015. Determination of rule patterns in complex event processing using machine learning techniques. *Procedia Computer Science*, 61, pp.395-401.
- [3] Talebi, M.M. and Sharifi, M., 2019. PARS: a parallel model for scaled processing of complex events. *Journal of Systems and Software*, 155, pp.1-16.
- [4] Wang, F., Liu, S., Liu, P. and Bai, Y., 2006. Bridging physical and virtual worlds: complex event processing for RFID data streams. In *Advances in Database Technology-EDBT 2006: 10th International Conference on Extending Database Technology*, Munich, Germany, March 26-31, 2006 10 (pp. 588-607). Springer Berlin Heidelberg.
- [5] Mazon-Olivo, B., Hernández-Rojas, D., Maza-Salinas, J. and Pan, A., 2018. Rules engine and complex event processor in the context of internet of things for precision agriculture. *Computers and Electronics in Agriculture*, 154, pp.347-360.
- [6] Gapanyuk, Y., 2020. The metagraph multiagent system based on the semantic complex event processing. *Procedia Computer Science*, 169, pp.137-146.
- [7] Flouris, I., Giatrakos, N., Deligiannakis, A. and Garofalakis, M., 2020. Network-wide complex event processing over geographically distributed data sources. *Information Systems*, 88, p.101442.
- [8] Wang, Y.H., Cao, K. and Zhang, X.M., 2013. Complex event processing over distributed probabilistic event streams. *Computers & Mathematics with Applications*, 66(10), pp.1808-1821.
- [9] Higashino, W.A., Capretz, M.A. and Bittencourt, L.F., 2016. CEPsim: Modelling and simulation of Complex Event Processing systems in cloud environments. *Future Generation Computer Systems*, 65, pp.122-139.
- [10] Gu, Y., Yu, G. and Li, C., 2012. Deadline-aware complex event processing models over distributed monitoring streams. *Mathematical and Computer Modelling*, 55(3-4), pp.901-917.
- [11] Helal, I.M. and Awad, A., 2022. Online correlation for unlabeled process events: A flexible CEP-based approach. *Information Systems*, 108, p.102031.
- [12] Khazael, B., Asl, M.V. and Malazi, H.T., 2023. Geospatial complex event processing in smart city applications. *Simulation Modelling Practice and Theory*, 122, p.102675.
- [13] Semlali, B.E.B., El Amrani, C., Ortiz, G., Boubeta-Puig, J. and Garcia-de-Prado, A., 2021. SAT-CEP-monitor: An air quality monitoring software architecture combining complex event processing with satellite remote sensing. *Computers & Electrical Engineering*, 93, p.107257.
- [14] Boubeta-Puig, J., Rosa-Bilbao, J. and Mendling, J., 2021. CEPchain: A graphical model-driven solution for integrating complex event processing and blockchain. *Expert Systems with Applications*, 184, p.115578.
- [15] Roig Vilamala, M., Xing, T., Taylor, H., Garcia, L., Srivastava, M., Kaplan, L., Preece, A., Kimmig, A. and Cerutti, F., 2022. DeepProbCEP: A neuro-symbolic approach for complex event processing in adversarial settings. *Expert Systems with Applications*.
- [16] Mao, N. and Tan, J., 2015, August. Complex Event Processing on uncertain data streams in product manufacturing process. In *2015 International Conference on Advanced Mechatronic Systems (ICAMechS)* (pp. 583-588). IEEE.
- [17] İnçki, K., Arı, İ. and Sözer, H., 2017, May. Runtime verification of IoT systems using complex event processing. In *2017 IEEE 14th International Conference on Networking, Sensing and Control (ICNSC)* (pp. 625-630). IEEE.
- [18] Erich, F. and Suzuki, K., 2016, December. Cognitive robot programming using procedural parameters and complex event processing. In *2016 IEEE International Conference on Simulation, Modeling, and Programming for Autonomous Robots (SIMPAN)* (pp. 61-66). IEEE.
- [19] Bonino, D. and De Russis, L., 2017. Complex event processing for city officers: A filter and pipe visual approach. *IEEE Internet of Things Journal*, 5(2), pp.775-783.
- [20] Zhou, Q., Simmhan, Y. and Prasanna, V., 2017. Knowledge-infused and consistent Complex Event Processing over real-time and persistent streams. *Future Generation Computer Systems*, 76, pp.391-406.
- [21] Rakkesh, S.T., Weerasinghe, A.R. and Ranasinghe, R.A.C., 2016, December. Simulation of real-time vehicle speed violation detection using complex event processing. In *2016 IEEE International Conference on Information and Automation for Sustainability (ICIAfS)* (pp. 1-6). IEEE.
- [22] Lu, T., Zha, X. and Zhao, X., 2016. Multi-stage monitoring of abnormal situation based on complex event processing. *Procedia Computer Science*, 96, pp.1361-1370.
- [23] Nie, Y., Li, Z. and Chen, Q., 2011. Complex event processing over unreliable RFID data streams. In *Web Technologies and Applications: 13th Asia-Pacific Web Conference, APWeb 2011, Beijing, China, April 18-20, 2011. Proceedings 13* (pp. 278-289). Springer Berlin Heidelberg.
- [24] Boubeta-Puig, J., Ortiz, G. and Medina-Bulo, I., 2015. Model4CEP: Graphical domain-specific modeling languages for CEP domains and event patterns. *Expert Systems with Applications*, 42(21), pp.8095-8110.
- [25] Bruns, R., Dunkel, J., Masbruch, H. and Stipkovic, S., 2015. Intelligent M2M: Complex event processing for machine-to-machine communication. *Expert Systems with Applications*, 42(3), pp.1235-1246.

- [26] Zhang, P., Shi, X. and Khan, S.U., 2018. QuantCloud: enabling big data complex event processing for quantitative finance through a data-driven execution. *IEEE Transactions on Big Data*, 5(4), pp.564-575.
- [27] Zhao, H. and Yang, Y., 2015, December. A data generation algorithm for internet of things based on complex event processing. In *2015 IEEE International Conference on Smart City/SocialCom/SustainCom (SmartCity)* (pp. 827-831). IEEE.
- [28] Lee, J., Hong, B., Kim, C. and Kim, W.C., 2019, December. Development of a continuous complex event processing platform for real-time tactical moving objects. In *2019 IEEE International Conference on Big Data (Big Data)* (pp. 6122-6124). IEEE.
- [29] Higashino, W.A., Capretz, M.A. and Bittencourt, L.F., 2016. CEPsim: Modelling and simulation of Complex Event Processing systems in cloud environments. *Future Generation Computer Systems*, 65, pp.122-139.
- [30] Blanco, J.M., Ge, M. and Pitner, T., 2022. Human-Generated Web Data Disentanglement for Complex Event Processing. *Procedia Computer Science*, 207, pp.1341-1349.
- [31] Raj, R., Sahu, R.K., Chaudhary, B., Prasad, B.R. and Agarwal, S., 2017, November. Real time complex event processing and analytics for smart building. In *2017 conference on information and communication technology (CICT)* (pp. 1-6). IEEE.
- [32] Gillani, S., Zimmermann, A., Picard, G. and Laforest, F., 2019. A query language for semantic complex event processing: Syntax, semantics and implementation. *Semantic Web*, 10(1), pp.53-93.
- [33] Hodorog, A., Petri, I. and Rezgui, Y., 2022. Machine learning and Natural Language Processing of social media data for event detection in smart cities. *Sustainable Cities and Society*, 85, p.104026.
- [34] Nihar Ranjan, Midhun C., 2020. A Brief Survey of Machine Learning Algorithms for Text Document Classification on Incremental Database. *TEST Engineering and Management*, ISSN: 0193-4120, Volume 83, pp 25246 – 25251.
- [35] Nihar Ranjan, Midhun C., 2021. Evolutionary and Incremental Text Document Classifier using Deep Learning. *International Journal of Grid and Distributed Computing* Vol. 14, No. 1, pp. 587-595.
- [36] Nihar Ranjan, Zubair Ghouse, 2017. A Multi-function Robot for Military Application. *Imperial Journal of Interdisciplinary Research (IJIR)* Vol-3, Issue-3, ISSN: 2454-1362, pp 1785-1788.