

Advanced Driving Assistance System: Real-Time Traffic Sign Detection and Driver Drowsiness Monitoring

Preeti Bailke¹, Sanskruti Khedkar², Sanket Kumbhar³, Khushi Mohod⁴ and Shantanu Mandalpure⁵

¹Vishwakarma Institute of Technology/Department of Information Technology, Pune, India

Email: preeti.bailke@vit.edu

²⁻⁵Vishwakarma Institute of Technology/Department of Artificial Intelligence and Data Science, Pune, India

Email: {sanskriti.khedkar21, sanket.kumbhar21, mohod.khushi21, shantanu.mandalpure21}@vit.edu

Abstract— The Advanced Driver Assistance System (ADAS) has emerged as a critical technology for enhancing road safety and preventing accidents. This research paper aims to provide a comprehensive study on the development and implementation of an ADAS through the utilization of a traffic sign detection Android app. One of the key functionalities of the ADAS is real-time updates on the current speed of the vehicle. By constantly monitoring the speed, the system can provide timely warnings to the driver in case they exceed the speed limit, thereby reducing the likelihood of accidents caused by speeding. ADAS integrates driver drowsiness detection using smart spectacles equipped with eye activity sensors. These spectacles can monitor the driver's eye movements and identify signs of drowsiness or distraction. In such cases, the system can issue alerts or recommendations to the driver, encouraging them to take a break or refocus their attention on the road. By integrating these functionalities, the ADAS aims to enhance road safety, assist drivers with timely information and warnings, and ultimately reduce the risk of accidents on the roads.

Index Terms— Advance Driver Assistance System, Road Safety, Traffic sign detection, Drowsiness Detection.

I. INTRODUCTION

Road traffic accidents are a significant cause of injuries and fatalities worldwide. The development of Advanced Driver Assistance Systems (ADAS) aims to address these challenges by providing drivers with intelligent tools and warnings to enhance their driving experience and safety. The proposed research focuses on designing and implementing an ADAS that leverages modern technologies to detect and interpret traffic signs, monitor driver drowsiness, and identify potholes, thereby reducing the risk of accidents and improving overall road safety. The core component of the proposed ADAS is a traffic sign detection Android app, which utilizes computer vision algorithms and machine learning techniques to recognize and interpret various traffic signs in real time. The app is designed to run on a smartphone mounted on the vehicle's dashboard, enabling drivers to receive prompt updates on the current speed limit, detected signs, and warnings regarding potential violations. By providing this information, the app helps drivers stay informed and comply with traffic regulations, contributing to safer road

behaviour. Furthermore, the ADAS incorporates additional safety features to mitigate potential hazards. One such feature is the integration of pothole identification, which employs sensor data from the vehicle to detect and alert drivers about road irregularities. This functionality aims to prevent accidents caused by unexpected potholes, enabling drivers to take necessary precautions and avoid damage to their vehicles. Another significant aspect of the proposed ADAS is the integration of driver drowsiness detection using smart spectacles. These spectacles are equipped with eye activity sensors that continuously monitor the driver's eye movements and alert them with an alarm if drowsiness is detected. By providing timely warnings, the system can help prevent accidents caused by driver fatigue, allowing them to take appropriate rest or corrective actions.

II. LITERATURE REVIEW

This study [1] addresses the research gap in commercial vehicle safety by investigating drivers' acceptance of Advanced Driving Assistance Systems (ADAS), a topic largely overlooked in existing literature. Focusing on Forward Collision Warning (FCW) and Lane Departure Warning (LDW) systems, the research uses a random forests algorithm to analyse data from 24 commercial vehicles. It identifies crucial factors affecting acceptance, such as vehicle speed, duration time, and driver age. The findings highlight the significant differences in acceptance rates between FCW and LDW, emphasizing the need for tailored ADAS designs for commercial vehicles. Additionally, the study underscores the necessity of understanding system accuracy under varied driving conditions, providing valuable insights for enhancing road safety in the commercial vehicle sector.

This paper explores the challenges in ensuring the safety and reliability of Advanced Driver-Assistance Systems (ADAS) and proposes the use of structural causal models as a solution. The study demonstrates the construction of a causal model for an advanced driver-assistance system, integrating data from various sources. The research illustrates the application of this model in scenario-based testing, converting engineering questions into executable probabilistic queries to gain insights into the system's behaviour. While offering a proof-of-concept, the paper emphasizes the need for systematic development and testing lifecycles for causal models in an industrial context. The study outlines future research directions, including the development of tools, methodologies, and evaluation strategies to establish a comprehensive development infrastructure for causal models in ADAS testing.[2]

This study investigates the challenges associated with autonomous vehicles (AVs) and advanced driver-assistance systems (ADAS) during the transition period of mixed traffic. The research proposes an interpretable lane-changing (LC) implementation model for AVs based on vehicle to vehicle (V2V) communication. Using the minimum redundancy maximum relevance (mRMR) algorithm, the study identifies seven optimal V2V features out of 25 candidates to assess LC situations. A support vector machine (SVM) is employed to distinguish between LC and lane keeping (LK) situations, achieving high accuracy and precision. The proposed model demonstrates improved AV driving behaviour in lateral movements. The study suggests further exploration of additional V2V features, diverse traffic scenarios, and integration of other driving behaviours to enhance the model's naturalistic representation and explores the potential application of spatiotemporal algorithms for future research. Future work is also recommended to refine the model using larger datasets for increased efficiency.[3]

This paper introduces a simulation-based metamorphic testing (MT) approach to assess Advanced Driver-Assistance Systems (ADAS) using European new car assessment program (Euro NCAP) standards on OpenStreetMap (OSM). The study focuses on ensuring safety in autonomous driving systems by detecting unexpected simulation results. Three tests were conducted at both the design and system levels, revealing issues where the ego vehicle failed to avoid collisions due to speed changes. A mechanism was designed to address these issues, demonstrating a fault detection rate of 5.8%. The research emphasizes the simplicity and effectiveness of the approach, indicating its potential application to various ADAS and autonomous driving systems. Future work aims to expand metamorphic relations, implement the approach in open-source driving platforms, and collaborate with industry standards organizations for real-world testing and integration.[4]

This study investigates the effectiveness and acceptance of Advanced Driving Assistance Systems (ADAS) through a Field Operational Test (FOT) involving 30 participants. The research evaluates the impact of ADAS features such as Lane Departure Warning (LDW), Forward Collision Warning (FCW), and Traffic Speed Recognition Warning (TSRW) on different driver demographics and road types. Results indicate significant improvements in lane departure for male and non-professional drivers, especially among older drivers, while FCW showed consistent effectiveness across demographics. The study also reveals positive attitudes toward ADAS technology, with older drivers demonstrating higher acceptance. The research emphasizes the potential of ADAS in enhancing road safety, acknowledging specific gender and age-related differences in driver behaviour and

acceptance levels. Future research considerations include exploring gender ratios, cultural backgrounds, and prolonged exposure to ADAS. [5]

The paper emphasizes the role of human error in traffic accidents and introduces an Advanced Driving Assistance System that utilizes object detection architectures such as MobileNetV2, EfficientNet, and VGGNet16, along with the Single Shot Detector (SSD) for localization. It also incorporates DenseDepth and MonoDepth2 deep learning architectures for distance estimation. The research demonstrates the effectiveness of these models and suggests MobileNetV2 and Monodepth2 as recommended models for low computation cost, and MobileNetV2 and DenseDepth for higher computation cost. [6]

The paper focuses on lane detection and proposes a pipeline of computer vision algorithms for tracking and detecting lane lines. The approach is designed to prioritize speed and ease of use, making it suitable for integration into ADAS systems with less expensive processors. The proposed method undergoes rigorous testing on real-world road images and videos, showcasing its ability to reliably identify and follow road boundaries under various circumstances.[7]

The paper addresses the challenge of object detection for ADAS in complex driving environments. It proposes a unique deep convolutional neural network (DCNN) design that combines the region proposal network (RPN) and the feature pyramid network (FPN). The suggested method outperforms conventional CNN detectors, particularly in handling large object size variation, object occlusion, and poor lighting conditions, as demonstrated on the KITTI dataset.[8]

The paper presents a deep learning-based solution for lane detection and path prediction in autonomous driving. The authors propose an end-to-end approach utilizing convolutional neural networks (CNNs) to identify lane borders and forecast vehicle trajectories. The method incorporates a unique CNN design, a novel loss function that combines lane recognition and path prediction, and a real time optimization technique to enhance effectiveness and reduce computational cost. The proposed approach achieves high precision and recall for lane detection and low mean absolute error for path prediction.[9]

This paper provides a comprehensive survey of Advanced Driver-Assistance Systems (ADAS) and their pivotal role in modern vehicles' safety and the development of autonomous vehicles. It explores various hardware and software technologies underpinning ADAS, focusing on vision-based systems while acknowledging the growing popularity of advanced sensing technologies like lidar and radar. The article discusses sensor fusion techniques and the integration of advanced communication systems, such as Vehicle-to-Everything (V2X), emphasizing their significance for emerging autonomous vehicles. It also highlights the challenges faced by ADAS, emphasizing the need for future research and development in this critical area of automotive technology.[10]

This paper explores the implementation of an innovative system utilizing an eye blink sensor to detect driver drowsiness and prevent accidents. The proposed system involves the driver wearing an eye blink sensor frame, which vibrates upon detecting drowsiness indicated by prolonged eye closure. The system triggers warning messages on an LCD display and emits alarm sounds to alert the driver. Simultaneously, the system slows or stops the vehicle, and the owner is notified through a GSM module. The owner can access the driver's location, photograph, and nearby police stations, enhancing the safety measures. The research aims to prevent accidents caused by driver fatigue, demonstrating the effectiveness of the eye blink sensor technology in real-time drowsiness detection.[11]

This paper provides a comprehensive review of Advanced Driver Assistance Systems (ADAS), focusing on the growing trend of integrating advanced active safety technologies in modern vehicles. The study discusses popular ADAS technologies and their applications, emphasizing the evolution from optional features in luxury vehicles to becoming standard equipment. The paper underscores the importance of driver education regarding ADAS functionalities, highlighting the need for users to trust and understand these systems fully. Additionally, the research emphasizes the necessity for ADAS manufacturers to anticipate real-world usage scenarios and conduct comprehensive testing of parallel-operating systems. The integration of increasing sensors and artificial intelligence in ADAS indicates a significant step towards automated driving, although specific details about these advancements are often proprietary and limited in public domain information. [12]

This paper introduces an Automatic Vehicle Accident Detection and Messaging System utilizing accelerometer and vibration sensors to detect severe accidents. The system triggers an alert message via GSM to the police control room or rescue team, indicating the accident's location obtained through GPS. The technology allows for quick response and appropriate action in case of accidents. The study emphasizes the project's implementation, demonstrating its effectiveness in accurately detecting accidents and sending timely alerts. The integration of GPS tracking and GSM technology enhances the system's reliability, making it a valuable solution in the automotive safety domain.[13]

This review paper delves into the application of Model Predictive Control (MPC) in Advanced Driver-Assistance Systems (ADAS), emphasizing its effectiveness in handling complex multiple-objective problems and dynamics. The study comprehensively explores various aspects of MPC, including prediction methods, cost function formulation, and constraint setting. It delves into the challenges and opportunities of integrating MPC with ADAS and vehicle connectivity technologies, such as Vehicle-to-Vehicle (V2V), Vehicle-to-Infrastructure (V2I), and Vehicle-to-Everything (V2X). The article underscores the significance of accurate modelling of surrounding vehicles and their behaviours, along with the integration of Machine Learning and Deep Learning algorithms. Evaluation methods, including Model-in-Loop (MiL), Hardware-in-Loop (HiL), Vehicle-in-Loop (ViL), and real-world driving tests, are discussed to analyse the performance and optimization of MPC-based ADAS controllers. Despite advancements, the paper highlights existing gaps, especially in addressing uncertainties and achieving true autonomous vehicle capabilities beyond SAE level 2. [14]

In this research, a road accident prevention system addressing drowsy driving and driver inattention is presented. Using computer vision techniques, the system detects drowsiness by monitoring the frequency of eye blinks, employing non-intrusive methods to ensure driver focus. Additionally, body movements are monitored using pressure sensors, enabling the system to identify abnormal activities and issue warnings. The proposed approach utilizes Eye Aspect Ratio and Eye Closure Ratio with adaptive thresholding for real-time drowsiness detection. The collected data, including eye landmarks, steering patterns, and seating posture, are stored in a firebase for analysis and alert generation. The system aims to enhance road safety by alerting not only the driver but also relevant authorities and family members in case of accidents, facilitating prompt rescue operations. Future enhancements include integrating real-time driving updates and implementing vibration alerts on the steering wheel for driver warnings.[15]

III. METHODOLOGY

The Advanced Driving Assistance System architecture consists of different kinds of sensors, interfaces, and a powerful computer processor that differentiates information and makes it suitable in real time. We aim to make the system easier on power resources which will be more power efficient and more capable. These sensors are continuously predicting the surroundings around the vehicle and providing this data about Advanced Driving Assistance System computers for prioritization and action. The main components of the ADAS are Car Assistant and Drivers Drowsiness Detection System. The ultrasonic sensor is mounted on the front and the rear of the car, and it continuously monitors the distance between the car and the car ahead, in future this can be enhanced with computer vision and laser sensors which will further improve the accuracy and the detection of lanes and cars ahead. The eye blink sensor continuously monitors whether the drivers' eyes are awake or not in future this can be replaced with cameras. If the sensor detects the the eyes are closed for a certain period of time, then it starts the buzzer and reminds the driver to take a break if the eyes are still closed then the Arduino sends signal to motor driver circuit to slowly change the cars speed to make the car stop without getting hit in the traffic the buzzer will continue to alarm the driver. Further we also have been working on the coding part of drowsiness detection which aims to incorporate high accuracy and, on the go, learning with minimal power use. The research methodology for developing the Advanced Driver Assistance System (ADAS) presented in this paper integrates cutting-edge deep learning techniques, specifically utilizing the You Only Look Once (YOLO) algorithm for real-time traffic sign detection. This section outlines the comprehensive approach employed to design and implement the ADAS, focusing on the Car Assistant Android application and the Driver's Drowsiness Detection System.

A. YOLO (*You Only Look Once*)

Before delving into the methodology, it's imperative to comprehend the fundamental technology underpinning the traffic sign detection module. YOLO, an acronym for You Only Look Once, represents a pioneering object detection algorithm in computer vision. Unlike traditional methods that divide image detection into multiple stages, YOLO processes the entire image in one pass. By analysing the image, YOLO achieves remarkable speed and accuracy, making it ideal for real-time applications like ADAS. Single-Pass Object Detection: YOLO operates by dividing the input image into a grid and predicting bounding boxes and class probabilities directly within this grid. This unique approach enables YOLO to make predictions in a single pass, dramatically enhancing its speed and responsiveness. YOLO's ability to swiftly analyse frames from a video stream or camera feed in real-time is instrumental for applications demanding rapid object detection, such as identifying traffic signs while a vehicle is in motion.

B. *Traffic Sign Detection using YOLO Algorithm*

The YOLO algorithm, renowned for its efficiency in real-time object detection, was harnessed for accurate and rapid traffic sign recognition. YOLO's single-pass methodology and real-time processing capabilities made it an ideal choice for our ADAS. A comprehensive dataset of traffic sign images was com-piled, incorporating various sign types and environmental conditions. This dataset served as the foundation for training the YOLO model, ensuring robust detection capabilities. The YOLO algorithm was trained using the collected dataset to accurately recognize traffic signs in real-time. The training process involved optimizing the neural network's parameters to achieve high precision and recall rates. The Car Assistant Android application was developed, integrating the trained YOLO model. The application continuously captures frames from the device's camera and processes them through the YOLO algorithm for real-time traffic sign detection. A user-friendly interface was designed, displaying the detected signs and relevant information, including current speed limits and warnings about potential violations. The interface employed visual elements such as maps, icons, and textual information to present updates intuitively to the driver.

C. Driver's Drowsiness Detection System Hardware Setup

The Driver's Drowsiness Detection System was constructed utilizing an Arduino Nano microcontroller, an eye blink sensor, a relay, a piezo buzzer, and a vibrating feedback mechanism.




Figure 1. Circuit diagram for Drowsiness Detection System

The system was designed to detect prolonged eye closures or drowsiness in drivers. The Drowsiness Detection System was seamlessly integrated into the Car Assistant application. Upon detecting signs of driver drowsiness, the system triggered audible alerts and, in critical situations, initiated gradual speed reduction and eventual vehicle stoppage to prevent accidents caused by driver fatigue.




Figure 2. Block diagram for Drowsiness Detection System

D. System Integration and Testing Integration of Modules

The YOLO-based traffic sign detection module and the Drowsiness Detection System were integrated into a cohesive ADAS framework. The modules communicated seamlessly, ensuring synchronized responses to varying driving conditions. Testing and Validation: Rigorous testing procedures were conducted, encompassing diverse scenarios and environmental conditions. Real-world driving simulations and controlled experiments were employed to validate the system's accuracy, responsiveness, and overall effectiveness in enhancing road safety.

IV. COST ESTIMATION

The cost estimation for the original project, involving the development of a driver's drowsiness detection system, is as follows:

The Raspberry Pi-based alternative implementation offers greater flexibility and enhanced capabilities for drowsiness detection compared to the original project with Arduino components. However, this approach may come at a higher cost.

TABLE I: THE TOTAL ESTIMATED COST FOR THE ORIGINAL PROJECT IN INR RANGES FROM ₹2520 TO ₹5250.

Component	Descriptions and Applicability	Estimated Cost (INR)
Arduino Nano Microcontroller	System control and data processing	750-1500
Eye blink sensor	Drowsiness detection through eye monitoring	375-1125
Relay	Triggering alerts and actions	150-375
Piezo Buzzer	Audible alert mechanism	75-225
Assorted Wires	Interconnecting components and data transmission	375-750
9V battery	Power supply	75-150
Gear motor	Generating physical feedback	375-750
Wheel	Associated with the gear motor	150-375
SPST switch	Manual control of the system	75-150
Total Estimated Cost (INR)		2520-5250

TABLE II: THE TOTAL ESTIMATED COST USING RASPBERRY PI-BASED RASPBERRY PI 4 (OR EQUIVALENT)

Component	Descriptions and Applicability	Estimated Cost (INR)
Option 1 - Off the shelf device	Pre-assembled drowsiness detection system	3750-7500
Option 2- Raspberry Pi-Based Raspberry Pi 4 (or equivalent)	Versatile system for customization	3500-5000
Camera Module	Eye tracking and data acquisition	500-1000
Additional Sensors and components	Enhancing system capabilities	1000-2000
Other components like IR sensors		
Speaker for Audible Alerts	Auditory warnings	500-1000
Total Estimated Cost (INR)		5500-9000

V. RESULTS AND DISCUSSION

The research successfully implemented a driver drowsiness detection system as part of the ADAS, allowing for control of the car's speed and gradual stoppage in case the driver falls asleep. The three technologies utilized eyeblink sensor, signal detection, and lane detection contribute to the automation process of the ADAS. The eyeblink sensor detects driver drowsiness, preventing accidents due to lack of attention. The signal detection system accurately recognizes and interprets traffic signals, ensuring compliance with regulations. The lane detection system acts as an operating system, reducing the need for constant human supervision.




Figure 3: Traffic detection app showing distance travelled, total distance and detected signs

Overall the system shows high confidence in identifying signs, while there are few exceptions we observed in TEST 5 Speed limit 100, the confidence was lower (80.47) than speed limit 50(90.63) and for TEST 3 DON'T MOVE sign the confidence was lower (80.47) than CROSSWALK confidence (84.77). Also in TEST 6 NO PARKING even though it is identifying the sign correctly the confidence level is relatively low (75.78). As shown in TEST 2 and in TEST 7 for STOP and DON'T STOP sign the confidence level are highest (94.53).

TABLE III: CONFIDENCE TABLE FOR TRAFFIC SIGN DETECTION

TEST No.	Original Sign	Speed limit 50	Speed limit 80	Speed limit 100	STOP	DON'T STOP	DON'T ENTER	DON'T MOVE	CROSSWALK	NO PARKING
1	Speed limit 80	80.47	90.63	80.47	NA	NA	NA	NA	NA	NA
2	STOP	87.89	75.78	NA	94.53	NA	NA	NA	NA	NA
3	DON'T MOVE	NA	NA	NA	NA	NA	80.47	80.47	84.77	NA
4	Speed limit 50	90.63	80.47	80.47	NA	NA	NA	NA	NA	NA
5	Speed limit 100	90.63	75.78	80.47	NA	NA	NA	NA	NA	NA
6	NO PARKING	NA	NA	NA	NA	NA	NA	NA	NA	75.78
7	DON'T STOP	NA	NA	NA	NA	94.53	80.47	80.47	NA	NA

VI. FUTURE SCOPE

In the future, leveraging technologies like Raspberry Pi, there is a potential to implement camera-based drowsiness detection systems and enhance lane detection capabilities within ADAS. By incorporating machine learning techniques, further improvements can be made to these systems. As human travel behaviour continues to evolve, it becomes essential to reassess and modify mobility behaviour to accommodate changing circumstances. With the demonstrated potential of ADAS systems in enhancing road safety and improving driving efficiency, future research can focus on enhancing system capabilities, exploring additional features, and evaluating performance across diverse driving conditions. These advancements will not only contribute to the development of autonomous driving technology but also benefit professionals in the automotive industry and aspiring students in this field.

VII. CONCLUSIONS

The project successfully developed an Advanced Driver Assistance System (ADAS) aimed at improving road safety. The core component of the ADAS is an Android app that utilizes computer vision and machine learning for real-time traffic sign detection. The system also includes features such as pothole identification and drowsiness detection using smart spectacles. The implemented ADAS enhances driver awareness, promotes safer driving practices, and reduces the risk of accidents caused by traffic violations, road irregularities, and driver fatigue.

REFERENCES

- [1] Y. Xu, Z. Ye and C. Wang, "Modelling commercial vehicle drivers' acceptance of advanced driving assistance system (ADAS)," in *Journal of Intelligent and Connected Vehicles*, vol. 4, no. 3, pp. 125-135, 2021, doi: 10.1108/JICV-07-2021-0011.
- [2] R. Maier, L. Grabinger, D. Urlhart and J. Mottok, "Causal Models to Support Scenario-Based Testing of ADAS," in *IEEE Transactions on Intelligent Transportation Systems*, doi: 10.1109/TITS.2023.3317475.
- [3] E. Lee, Y. Han, J. -Y. Lee and B. Son, "Modelling Lane Changing Behaviours for Autonomous Vehicles Based on Vehicle-to-Vehicle Communication," in *IEEE Access*, vol. 11, pp. 107997-108010, 2023, doi: 10.1109/ACCESS.2023.3319550.
- [4] M. Iqbal, "Metamorphic Testing of Advanced Driver-Assistance Systems: Implementing Euro NCAP Standards on OpenStreetMap," 2023 IEEE/ACM 8th International Workshop on Metamorphic Testing (MET), Melbourne, Australia, 2023, pp. 1-8, doi: 10.1109/MET59151.2023.00008.
- [5] K. N. Badweeti, V. D. Malaghan, D. S. Pawar and S. Easa, "Evaluating effectiveness and acceptance of advanced driving assistance systems using field operational test," in *Journal of Intelligent and Connected Vehicles*, vol. 6, no. 2, pp. 65-78, June 2023, doi: 10.26599/JICV.2023.9210005.
- [6] Ahmad Alfi Adz-Dzikri, Agus Virgono and Fussy Mentari Dirgantara (2021). Advance Driving Assistance Systems: Object Detection and Distance Estimation Using Deep Learning. 8th International Conference (EECSI) 20-21. DOI: 10.23919/EECSI53397.2021.9624218
- [7] Wael Farag and Zakaria Saleh (2018). Road Lane-Lines Detection in Real-Time for Advanced Driving Assistance Systems authors. 2018 International Conference on Innovation and Intelligence for Informatics, Computing, and Technologies. DOI: 10.1109/3ICT.2018.8855797
- [8] Wei, Jianhua He, Yi Zhou, Kai Chen, Zuoyin Tang, and Zhiliang Xiong (2019). Enhanced Object Detection With Deep Convolutional Neural Networks for Advanced Driving Assistance. *IEEE Transactions on Intelligent Transportation Systems* PP (99):1-12 DOI: 10.1109/TITS.2019.2910643

- [9] Lee, DH., Liu, JL. End-to-end deep learning of lane detection and path prediction for real-time autonomous driving. *SIViP* 17, 199–205 (2023).
- [10] V. K. Kukkala, J. Tunnell, S. Pasricha and T. Bradley, "Advanced Driver-Assistance Systems: A Path Toward Autonomous Vehicles," in *IEEE Consumer Electronics Magazine*, vol. 7, no. 5, pp. 18-25, Sept. 2018, doi: 10.1109/MCE.2018.2828440.
- [11] B.M, Kusuma & Sethi, Sampada & P., Ramakanth & Kumar, Nishant & Shankar, Atulit. (2018). Detection of Driver Drowsiness using Eye Blink Sensor. *International Journal of Engineering & Technology*. 7. 498. 10.14419/ijet.v7i3.12.16167.
- [12] Ziębiński, Adam & Cupek, Rafał & Grzechca, Damian & Chruszczyk, Lukas. (2017). Review of advanced driver assistance systems (ADAS). *AIP Conference Proceedings*. 1906. 120002. 10.1063/1.5012394.
- [13] S. Parameswaran, P. Anusuya, M. Dhivya, A. Harshiya Banu, D. Naveen Kumar, 2016, Automatic Vehicle Accident Detection and Messaging System, *International Journal of engineering research & technology (IJERT)* coco dancer – 2016 (Volume 4 – Issue 11).
- [14] Musa, A.; Picicelli, M.; Spano, M.; Tufano, F.; De Nola, F.; Di Blasio, G.; Gimelli, A.; Misul, D.A.; Toscano, G. A Review of Model Predictive Controls Applied to Advanced Driver-Assistance Systems. *Energies* 2021, 14, 7974. <https://doi.org/10.3390/en14237974>
- [15] Liya Anna Sebastian, Vineetha V Nair, Sneha Roy, Sona M S, Soniya Babu, 2022, Driver Drowsiness and Movement Detection based vehicle safety system, *international journal of engineering research & technology (IJERT)* ICCIDT – 2022 (volume 10 – issue 04)