

# Intelligent EV Routing with Charging Insights

Thejas VM<sup>1</sup>, Ezhilan VS<sup>2</sup>, Dr. Uma Maheswari J<sup>3</sup> and Dr. S. Brindha<sup>4</sup>

<sup>1-4</sup>Vellore Institute of Technology, Chennai, India

Email: thejas.vm2021@vitstudent.ac.in, ezhilan.vs2021@vitstudent.ac.in, umamaheswari.j@vit.ac.in

**Abstract**—This is an advanced electric vehicle route planning and optimization system that addresses specific challenges which electric vehicle users face in the planning of their trip. It uses a dual mode routing interface: conventional navigation and specialized EV routing with integration of intelligent charging stops. Leveraging the latest, multi-service mapping, like Mapbox, OpenStreetMap, and OpenChargeMap APIs, the system lifts the optimization of routes across the platform, coupled with actual time data on charging stations. The center of the platform is routed calculation that moves dynamically based on the availability of charging stations and consumption patterns. Routes can also be personalized by users having up to five waypoints, and the system intelligently suggests optimal charging stops based on the real time station status and vehicle parameters.

Advanced algorithms in the app calculate the energy-efficiency routes available given elevation, weather conditions, and traffic pattern considerations. Information regarding the availability status, charging speeds, and amenities at the charging stations is very much a part of these routes. It also creates comprehensive journey metrics, including estimated times of charging, predicting energy consumption, and alternative routing recommendations. Combining sophisticated route optimization with comprehensive charging infrastructure data, it finally addresses that critical issue of range anxiety while making the driving experience of EVs more comprehensive overall.

**Index Terms**— Dynamic Navigation, Real-time Charging Info, Electric Vehicles, Energy Efficient Routing, Range Anxiety.

## I. INTRODUCTION

There has been a paradigm shift within the transport industry over the last couple of years, mainly due to the advancements that have occurred in electric vehicle technology and the greater commitment towards sustainable practices globally. The growth of electric vehicles points to increased popularity due to their environmental benefits of fuel efficiency and helping in the reduction of greenhouse gas emissions. By far, EVs have led the transformation in the automotive sector, offering a cleaner, greener alternative to internal combustion engine vehicles, with concerns about climate change on the rise. However, there exist several key bottlenecks to be sorted out with widespread EV adoption, ranging from charging infrastructure to route planning and driver convenience. Overview This project, therefore, by the name "EV-Friendly Routing with Charging Insights," proposes a web-based routing system that will serve electric vehicle users and conventional vehicle drivers by offering them an optimal route-finding solution tailored to their respective needs.

### *A. Efficient Navigation Solution For EVs*

In this scenario, with the slow invasion of EVs into the modern scenario, the need for necessary navigation systems that can handle the peculiar requirements of electric vehicles is fast growing. Unlike traditional vehicles, which require fuel and depend on fuel stations for travel, an EV runs on batteries and thus requires charging stations. Whereas the fuel stations are in plenty and easily accessible, charging stations are still in the building stage as a network; they may be less frequent and scattered, especially in suburban and rural areas. All EV drivers share a singular phobia: that of "range anxiety," or the fear of running out of charge before one can get to a charging station. This is particularly more intense during long-distance travel, since it further limits, with a lack of options for charging, the practicality of EVs. These call for a routing solution that calculates not only efficient routes but also charging stations along the route to maintain the charge of drivers throughout the journey.

The "EV-Friendly Routing with Charging Insights" project tries to solve this need with one holistic, route-planning feature, including insights into charging along the way. This project puts into use advanced algorithms in the development of two kinds of navigation: Normal Mode, which provides the best routes for conventional vehicles, and EV Mode, planned for assisting EV drivers with route planning, including charging stations along the way. Embedding charging stops into the route of a long-distance journey through EV Mode greatly alleviates range anxiety: drivers can confidently take longer journeys without fear of running out of power.

### *B. Objective and Scope of Project*

The objective of this project is to enable navigation for conventional vehicles and electric vehicles to provide routes in an optimum fashion. In the case of conventional vehicles, the Normal Mode of the project develops the shortest and quickest route from source to destination, with options for including intermediate waypoints. In EVs, this goes further in that EV Mode picks optimal charging points on the route and positions them as intermediate waypoints, all in an effort to prevent en-route depletion. The dual functionality makes this project highly adaptable and useful to a wide class of users.

Besides route optimization, the project has integrated multiple features into a comprehensive user experience. Among them are:

- Voice Navigation: The system should not force the user to continuously look at the screen, hence it gives voice directions for driving.
- Color-Coded Map Markers: The source, destination, and waypoints use different colors to show clarity of appearance and readability.
- Directions Active Panel: It will display overall distance, estimated time to travel, and in-turn directions visually or audibly that a user can follow.
- Friendly User Interface: The map interface of the application is intuitive; therefore, it is easy to navigate. It accommodates the driver who is unfamiliar with the area or the technology.

This set of features makes for a powerful, user-centric navigation tool that delivers an optimal routing experience with regard to the needs of EV drivers.

### *C. Dijkstra's Algorithm for Route Optimization*

The project utilizes Dijkstra's Algorithm, one of the most widely used pathfinding algorithms used to solve a graph for the single-source shortest paths, in order to deliver efficient route planning effectively. As a matter of fact, Dijkstra's Algorithm will most likely be suitable for navigation applications where finding the most efficient path will involve the distance and travel time between two points. It implements Dijkstra's Algorithm, by which the project can return fast and effective routing solutions, focusing on the minimization of travel distance and time[1].

In Normal Mode, Dijkstra's Algorithm is used to find the shortest path from source to destination with optional waypoints chosen by the user. In EV Mode, the algorithm is modified to include charging stations as additional waypoints that route an EV driver through charging points along their route. This modification is vital in the realization of peculiar usage of EV users and facilitating the use of electric vehicles for inter-city travel without running out of charge.

## **II. METHODOLOGY**

### *A. Normal and EV Route Planning Methodology*

The system initiates route planning by processing the user's input for the starting location and the desired destination. This is checked against the map data to confirm if the coordinates or addresses are appropriate and

then sent to the back-end for storage to enable further processing. This data forms a basis upon which distance and time algorithms will be applied to guide the user from start to completion effectively.

- **Waypoint Management:** The system can also allow them to add, remove, or change waypoints dynamically on the go in case users need multiple stops. Each of the way points contribute to the general calculation of the route such that the suggested route considers the shortest possible path which accommodates all user-specified points. This feature is so crucial for applications requiring frequent stops-like for logistics or delivery apps.
- **Consideration of Traffic:** It integrates real-time traffic data sourced from reliable third-party services to adjust the route according to the current traffic conditions [2]. By accounting for the congestion of traffic, road closure, and accidents; the system sees to it that the driver avoids highly congested areas of the road, even suggesting routes to take where the conditions of the roads are good.
- **Optimization on Distance:** To ensure optimal performance, the route planner checks out several routes and tries to choose the one that will minimize travel distance, factoring in user preferences such as avoidance of toll roads. In optimizing distance, the system minimizes travel costs and improves conventional vehicle fuel efficiency to the benefit of the user both in terms of time and money.
- **Alternative Route Generation:** Realizing that for any given user there might be preferred options of routes, the system will develop and display alternative routes when possible. Each alternative will then be ranked based on distance, time, and traffic flow so that a user can make choices depending on priorities regarding speed and fuel economy.
- **Range Calculation and Analysis:** First, the system calculates the current battery range of the EV [3] and compares that range with the total distance covered in order to reach its destination. In doing so, the method pre-estimates when charging stops will be needed based on the vehicle's battery capacity and its consumption rate, with a further estimation of how much energy will be used to make the trip.
- **Charging Station Selection Criteria:** Charging stations are selected according to certain factors, such as proximity to the route [5] and the availability of charging ports, taking into account how many could work for the vehicle. Those with the shortest waiting time or/and quicker charges to avoid frustrating delays along the journey are chosen.
- **Smart Charging Route Optimization:** It ingeniously works out charging stops into the whole route. The system adds charging stations as waypoints, considering the optimal placement [4] of such depending on its prediction of battery consumption. This prevents the user from suddenly experiencing a stop due to an empty battery, hence improving the experience in taking routes with electric vehicles [6].
- **Battery Consumption Estimation:** It thereby estimates the battery consumption calculated in view of distance, speed, terrain, and climate conditions [7] for an appropriate overview of when to recharge. The integration of such variables would make the system more accurate in predictions regarding battery depletions and would provide early suggestions of charging stops in advance.
- **Dynamic Route Adjustment:** It keeps updating the route in real-time with every change in the levels of the battery, while it enables diversion to the nearest charging station if required. It is now the ease and flexibility which ensure that the changes in consumption by the battery.

### III. SYSTEM ARCHITECTURE




Fig 1: Workflow of EV Routing Application

The architecture will be further divided into a number of layers, with each layer designed for specific responsibilities in ensuring that data flows efficiently and that interaction among the frontend, backend, and external services is cohesive. It allows the design to have a modular and scalable architecture in providing responsiveness to route planning and EV station suggestions according to user needs. The concerns are separated into different layers, and thus each component can evolve independently with less chances of introducing errors. The system architecture above illustrates an advanced platform for the optimization of routing in EVs while enhancing charging station management. This is categorized into three primary layers: Frontend Layer, Backend Services, and the combination of Databases and External APIs. This architecture coherently interacts between the three to ensure data processing and management robustly while ensuring the processes are handled on real-time processes.

The Frontend Layer at the user interface level gathers user inputs, visualizes routes, and provides information on EV charging stations. Built with React.js, it allows users to input journey details, view optimized routes, and access charging station insights such as availability and amenities. It communicates with backend services to fetch and display real-time data in a user-friendly experience.

The Backend Services, built on Express.js, include core functionalities such as route optimization, user authentication, caching, and integration with external APIs. The Route Calculator uses algorithms to calculate the best routes for EV users by including all necessary charging stops based on the battery levels, charging station availability, and travel time. The EV Station Service gets up-to-date information on charging stations by external APIs, while the Cache Service cuts down latency due to its data cache functionality that often-accessed data. All the backend functionalities are orchestrated through an API Gateway that makes for efficient and modular communication.

The data layer of the system integrates Databases and External APIs to ensure accurate and real-time information. MongoDB databases store user profiles, route history, and static charging station data, ensuring personalized and reusable route planning. In addition, external APIs such as Mapbox, OpenStreetMap, and OpenChargeMap provide dynamic data such as geographical maps, traffic details, and real-time charging station statuses, thereby enhancing the overall efficiency of the platform.

The workflow starts with user inputs, including origin, destination, and vehicle details, which are sent to the backend for processing. The Route Calculator identifies optimal routes and charging stations, factoring in real-time data from external APIs. The processed information is then returned to the frontend, where users can visualize their routes and make informed decisions. Meanwhile, user preferences and route histories are securely stored for future use.

#### IV. CONCLUSION

In this paper, we have discussed the major challenges of electric vehicle users in efficient route planning and alleviating range anxiety. We proposed a dual-mode routing system, which combines normal navigation for traditional vehicles and EV-specific routing (Fig.2) that includes intelligent charging stop recommendations. Specifically, we discussed the implementation of energy-efficient route optimization, elevation-aware navigation, and real-time integration of charging station data (Fig.3), including availability, charging speeds, and amenities. The results showed that route planning specific to EVs considerably improves the efficiency of a trip and reduces range anxiety, and the charging station information panel offers a comprehensive solution for informed decision-making during travel.




Fig 2: EV Routing Interface through multiple EV stations between locations via multiple routes




Fig 3: EV Charging Station details via the shown route

## FUTURE WORKS

Our future work in improving Electric Vehicle Route Planning and Optimization System involves advanced personal routing based on driving behavior, historical information, and real-time weather conditions. Real-time capabilities will be significantly improved through predictive models for both traffic and charging station availability.

Integration with V2G will allow cost-efficient charging due to electricity price fluctuations and grid demand patterns. Further advanced user interface features will include augmented reality overlays, voice-activated controls, and natural language processing. In the future, support for autonomous EVs will also be integrated and extended analytics will be offered for detailed reports on cost, efficiency, and environmental impact.

## ACKNOWLEDGEMENT

We would like to thank Dr. Uma Maheswari J for her extensive support and dedication this research project. We acknowledge and thank Vellore Institute of Technology, Chennai for supporting this project as well.

## REFERENCES

- [1] S. Ben Abbes, L. Rejeb, and L. Baati, "Intelligent route planning and optimization strategies for electric vehicles," ResearchGate, 2022.
- [2] J. Li, S. Tian, N. Zhang, G. Liu, Z. Wu, and W. Li, "Optimization strategy for electric vehicle routing under traffic impedance guidance," ResearchGate, 2023.
- [3] T. Perger and H. Auer, "Energy efficient route planning for electric vehicles with special consideration of the topography and battery lifetime," ResearchGate, 2020.
- [4] H. R. Sayarshad, "Optimization of electric charging infrastructure: Integrated model for routing and charging coordination with power-aware operations," ResearchGate, 2024.
- [5] S. P. Karthikeyan and P. Thomas, "Optimization strategies for electric vehicle charging and routing: A comprehensive review," ResearchGate, 2024.
- [6] N. Lech and P. Nikończuk, "The method of route optimization of electric vehicle," ResearchGate, 2022.
- [7] M. He, M. Yang, W. Fu, X. Wu, and K. Izui, "Optimization of electric vehicle routes considering multi-temperature co-distribution in cold chain logistics with soft time windows," ResearchGate, 2024.